



We are a company based in the UK



# APPLE MACBOOK 13" MID 2006 - MID 2008 MEMORY INSTALLATION GUIDE

# Mr Memory<sup>®</sup>

## WHAT YOU WILL NEED



**CLEAR WORKSPACE**



**COIN**



**NEW MEMORY MODULE(S)**



**SCREWDRIVER**



**TO PREVENT ANY POTENTIAL DAMAGE FROM ANTI STATIC ELECTRICITY, YOU SHOULD DISCHARGE YOURSELF FIRST. THIS CAN BE DONE BY TOUCHING A GROUNDED METAL OBJECT - SUCH AS A RADIATOR.**

## STEP 1

Make sure the MacBook is powered off and all cables have been disconnected.

## STEP 2

Turn your MacBook over and remove the Battery – using the coin in the Battery locking screw, rotate it 90 degrees clockwise.

## STEP 3

To remove the Memory Cover, unscrew the 3 screws from the back wall of the Battery compartment.



## STEP 4

Slide the Memory Cover to the right and lift out of the MacBook.



## STEP 5

To remove any existing RAM, pull back the metal lever to slide the RAM module out.



## STEP 6

To install the new RAM, push the module firmly and evenly into the slot. There is a diagram on the MacBook itself as to where the notches should be. Do not worry which way the stickers on the module face, as they differ. There will be an audible click when the module is seated correctly.

## STEP 7

Put the MacBook back together again in the reverse order that you took it apart. Turn the laptop back on. (Ideally the MacBook should be fully charged or plugged into the mains). Everything should be running smoothly and quicker than before.

**IF YOU REQUIRE ANY FURTHER INSTALLATION SUPPORT, PLEASE CONTACT OUR CUSTOMER CARE & SUPPORT TEAM**