

HP Pavilion dm4 Entertainment PC

Maintenance and Service Guide

© Copyright 2010 Hewlett-Packard Development Company, L.P.

Microsoft and Windows are U.S. registered trademarks of Microsoft Corporation. Bluetooth is a trademark owned by its proprietor and used by Hewlett-Packard Company under license. SD Logo is a trademark of its proprietor.

Bluetooth is a trademark owned by its proprietor and used by Hewlett-Packard Company under license. Intel and Core are trademarks or registered trademarks of Intel Corporation in the United States and other countries. Microsoft and Windows are either trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. SD Logo is a trademark of its proprietor.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Second Edition: December 2011

First Edition: April 2010

Document Part Number: 609889-002

Safety warning notice

MARNING! To reduce the possibility of heat-related injuries or of overheating the computer, do not place the computer directly on your lap or obstruct the computer air vents. Use the computer only on a hard, flat surface. Do not allow another hard surface, such as an adjoining optional printer, or a soft surface, such as pillows or rugs or clothing, to block airflow. Also, do not allow the AC adapter to contact the skin or a soft surface, such as pillows or rugs or clothing, during operation. The computer and the AC adapter comply with the user-accessible surface temperature limits defined by the International Standard for Safety of Information Technology Equipment (IEC 60950).

Table of contents

1 F	Product description	
2 E	External component identification	5
	Identifying the hardware	5
	Top components	6
	TouchPad	6
	Lights	7
	Power button and fingerprint reader	8
	Keys	g
	Front components	10
	Right-side components	1C
	Left-side components	11
	Display components	13
	Bottom components	14
	Wireless antennas	15
	Additional hardware components	16
3 1	Illustrated parts catalog	17
J .	Serial number location	
	Computer major components	
	Display assembly components	
	Plastics Kit	
	Mass storage devices	
	Miscellaneous parts	
	Sequential part number listing	
4 F	Removal and replacement procedures	
	Preliminary replacement requirements	
	Tools required	35
	Service considerations	
	Plastic parts	35

	Cables and connectors	
	Drive handling	36
	Grounding guidelines	37
	Electrostatic discharge damage	37
	Packaging and transporting guidelines	38
	Workstation guidelines	38
	Equipment guidelines	39
	Component replacement procedures	40
	Serial number	40
	Computer feet	41
	Battery	42
	SIM	43
	Memory module	44
	RTC battery	46
	WLAN module	47
	WWAN module	51
	Hard drive	53
	Optical drive	55
	Keyboard	57
	Top cover	59
	Fingerprint reader board	62
	Power button board	64
	Display assembly	65
	USB board	71
	Power connector cable	72
	Bluetooth module	74
	Speaker assembly	76
	System board	78
	Fan/heat sink assembly	80
	Processor	85
5 Setup	Utility	87
	Starting Setup Utility	
	Using Setup Utility	
	Changing the language of Setup Utility	
	Navigating and selecting in Setup Utility	
	Displaying system information	
	Restoring default settings in Setup Utility	
	Exiting Setup Utility	
	Setup Utility menus	
	Main menu	

	Security menu	90
	System Configuration menu	90
	Diagnostics menu	91
6 Spe	cifications	92
	Computer specifications	92
	35.56-cm (14.0-in) display specifications	93
	Hard drive specifications	94
	DVD±RW SuperMulti Double-Layer Drive specifications	95
	System resource specifications	96
7 Bac	kup and recovery	97
	Creating recovery discs	98
	Backing up your information	99
	Using Windows Backup and Restore	100
	Using system restore points	100
	When to create restore points	100
	Create a system restore point	100
	Restore to a previous date and time	101
	Performing a recovery	101
	Recovering from the recovery discs	101
	Recovering from the dedicated recovery partition (select models only)	101
8 Con	nector pin assignments	103
	Audio-out (headphone)	103
	Audio-in (microphone)	103
	External monitor	104
	RJ-45 (network)	105
	HDMI	106
	Universal Serial Bus	107
9 Pow	ver cord set requirements	108
	Requirements for all countries or regions	108
	Requirements for specific countries or regions	109
10 Re	cycling	110
	Battery	110
	Display	110
Indov		116

1 Product description

Category	Description	Discrete	UMA
Product Name	HP Pavilion dm4 Entertainment PC	√	√
Processors	Intel® Core™ i7 processor		
	640M, 2.80-GHz (SC turbo up to 3.33 GHz), 4-MB L3 cache	V	V
	620M, 2.66-GHz (SC turbo up to 3.33 GHz), 4-MB L3 cache	V	V
	Intel Core i5 processors		
	580M, 2.66-GHz (SC turbo up to 3.33 GHz), 3-MB L3 cache	V	V
	560M, 2.66-GHz (SC turbo up to 3.2 GHz), 3-MB L3 cache	V	V
	540M, 2.53-GHz (SC turbo up to 3.06 GHz), 3-MB L3 cache	V	√
	520M, 2.40-GHz (SC turbo up to 2.93 GHz), 3-MB L3 cache	V	V
	480M, 2.66-GHz. 3-MB L3 cache	√	√
	460M, 2.53-GHz 3-MB L3 cache	√	√
	450M, 2.40-GHz, 3-MB L3 cache	√	√
	430M, 2.26-GHz (SC turbo to 2.53-GHz) 3-MB L3 cache	V	V
Chipset	Intel HM55 Express	√	√
Graphics	Switchable discrete graphics	√	
	ATi Park Pro (ATI Mobility Radeon™ HD5450 with 512-MB of dedicated video memory [64-MB×16 DDR3, 4 pcs, 800-MHz])		
	ATI Mobility Radeon™ HD6370 with 1024-MB of dedicated video memory [128-MB×16 DDR3, 800-MHz])	V	
	ATI Mobility Radeon™ HD5470 with 512-MB of dedicated video memory (128-MB×16 DDR3, 800-MHz)	V	

	Intel HD Graphics with shared video memory (memory size is dynamic change)		√
	Unified Memory Architecture (UMA		
Panel	35.56-cm (14.0-in) HD LED BrightView (1366 x 768 resolution)	√ √	V
	16:9 ultra wide aspect ratio	√	√
Memory	2 SODIMM slots	√	√
	Customer-accessible and upgradable	√	√
	Supports up to 8 GB of system memory	√	√
	DDR3, 1066-MHz, dual-channel memory (DDR3 1333 MHz downgraded to DDR3 1066 MHz)	V	V
	Supports the following configurations:	√	√
	• 8 GB (4 GB×2)		
	• 6 GB (2 GB×2 + 4 GB+1)		
	• 4 MB (2 GB×2 or 4 GBx1)		
	• 3 GB (1 GB×1 + 2 GB×1)		
	• 2 GB (2 GB×1)		
	• 2 MB (1 GB×2)		
	• 1 GB (1 GB×1)		
Hard drives	Accelerometer protection support	√	√
	Supports the following 9.5-mm , 6.35-cm (2.5-in) SATA hard drives	V	√
	• 750 GB, 7200 rpm		
	• 640 GB, 7200 rpm		
	• 500 GB, 7200 rpm		
	• 320 GB, 7200 rpm		
	160 GB Solid-state drive		
	Supports the following solid-state drive:	√	√
	• 160-GB		
Optical drives	Supports the following 9.5-mm (0.50-in) tray load, fixed, SATA drive:	V	V
	DVD±R/RW SuperMulti DL Drive		
Camera	HP TrueVision	√	√
	Low light, fixed (no tilt), activity LED	√	√
	640 × 480 by 24 frames per second	√	√
Microphone	One microphone, digital	√	√
	Noise suppression	V	V

Audio	Dolby Advanced Audio, HD audio	\checkmark	\checkmark
	Supports Microsoft Premium requirements	V	√
	Altec Lansing speakers	√	√
Ethernet	Integrated 10/100/1000 network interface card (NIC)	V	V
Wireless	Integrated wireless local area network (WLAN) options by way of wireless module:	√	√
	Intel Centrino Wireless-N 1000 802.11b/g/n 1x2	V	V
	Atheros AR9285 802.11 a/b/g/n 2x2 WiFi adapter	V	V
	Intel® Centrino® Advanced–N + WiMAX 6250	√	√
	Broadcom 43224AGN 802.11a/b/g/draft-n WiFi Adapter	V	√
	Broadcom 4313AGN 802.11a/b/g/draft-n WiFi Adapter	√	√
	Broadcom 4313 802.11b/g/n 1x1 WiFi and 2070 Bluetooth 2.1+EDR Combo Adapter	V	√
	Realink RT3090BC4 802.11b/g/n 1x1 WiFi and Bluetooth 2.1+EDR Combo Adapter	V	√
	Integrated WWAN and GPS function:	V	
	Qualcomm module with two antennas	V	
	5 band antenna support: 2100/1800/1900/800/900 with additional GPS band	V	
External media card	5-in-1 Digital Media Slot; supports SD, MMC, MS, Mspro, xD	V	√
	Supports mini versions of SD, MMC, and MS Duo with adapter (adapter not included)	V	V
Ports	VGA (Dsub 15-pin) supporting:	√	√
	• 1600 x 1200 resolution at 75 Hz		
	 VGA (Dsub 15-pin) supporting 1920 x 1200 resolution at 75 Hz 		
	Hot plug/unplug and auto detect for wide-aspect or standard-aspect video	V	√
	HDMI v1.3 supporting up to 1080p, 1920 x 1200 @ 60 Hz DVI mode	V	V
	USB 2.0 (3)	√	√
	RJ-45	√	√
	Audio-in (microphone)	V	V
	Audio-out (headphone)	V	V
	Smart-pin AC adapter plug	V	V
Keyboard/pointing devices	35.56-cm (14.0-inch) full-size keyboard	V	V
	Dura-coat island style keyboard	V	√

	TouchPad with Mylar click pad cover (taps and multitouch gestures enabled by default)	V	√
Power requirements	9-cell (93-Wh) 2.80-Ah Li-ion battery	V	√
	6-cell (62-Wh) 2.80-Ah Li-ion battery	V	√
	6-cell (55-Wh) 2.55-Ah Li-ion battery	V	√
	65-W AC adapter with Smart-Pin DC connector		V
	90-W AC adapter with Smart-Pin DC connector	V	
Security	Kensington Security Lock	V	√
	Fingerprint reader with Digital Persona Software Support	V	V
Operating system	Preinstalled:	V	√
	Windows 7 Professional (64 bit)	V	√
	Windows 7 Home Premium (64 bit)	V	√
	Windows 7 Home Basic (32 and 64 bit)	V	√
	FreeDOS	V	√
	RedFlag	V	√
Serviceability	End-user replaceable parts:	V	√
	AC adapter	V	√
	Battery (system)	V	√
	Hard drive	√	√
	Memory module	V	√
	Optical drive	V	\checkmark
	Mini-card device	√	√
	SIM	√	V

2 External component identification

Identifying the hardware

Components included with the computer may vary by region and model. The illustrations in this chapter identify the standard features on most computer models.


To see a list of hardware installed in the computer, follow these steps:

- 1. Select Start > My Computer.
- 2. In the left pane of the System Tasks window, select **View system information**.
- Select Hardware tab > Device Manager.

You can also add hardware or modify computer configurations using Device Manager.

Top components


TouchPad



Component		Description
(1)	TouchPad on/off button Turns the TouchPad on and off. Quickly double-tap the button to turn the TouchPad on and off.	
(2)	TouchPad zone*	Moves the pointer and selects or activates items on the screen.
(3)	Left TouchPad button*	Functions like the left button on an external mouse.
(4)	Right TouchPad button*	Functions like the right button on an external mouse.

^{*}This table describes factory settings. To view or change pointing device preferences, select **Start > Devices and Printers**. Then, right-click the icon representing your device, and select **Mouse settings**.

Lights




Component			Description	
(1)	ወ	Power light	 White: Power is on. Blinking White: The computer is in the Sleep state. NOTE: Another power light is located on the left side of the computer. 	
(2)	4 ⊘	Mute light	Amber: Speaker sound is off.	
(3)	(r I s)	Wireless light	 White: An integrated wireless device, such as a wireless local area network (WLAN) device and/or a Bluetooth® device, is on. NOTE: Wireless devices are enabled at the factory. Amber: All wireless devices are off. 	
(4)		Caps lock light	White: Caps lock is on.	
(5)	•	TouchPad light	Amber: TouchPad is disabled.	
(6)		Fingerprint reader light	White: Fingerprint read is good.Amber: Fingerprint read is bad.	

Power button and fingerprint reader



Component Description		Description
(1)	Power button*	When the computer is off, press the button to turn on the computer.
		 When the computer is on, press the button briefly to initiate Sleep.
		 When the computer is in the Sleep state, press the button briefly to exit Sleep.
		 When the computer is in Hibernation, press the button briefly to exit Hibernation.
		If the computer has stopped responding and Windows® shutdown procedures are ineffective, press and hold the power button for at least 5 seconds to turn off the computer.
		To learn more about your power settings, select Start > Control Panel > System and Security > Power Options .
(2)	Fingerprint reader	Allows a fingerprint logon to Windows, instead of a password logon.
	table describes factory settings. For information abo	out changing factory settings, refer to the user guides located in

Keys




Component		Description
(1)	esc key	Displays system information when pressed in combination with the fn key.
(2)	fn key	Displays system information when pressed in combination with the esc key.
(3)	Windows logo key	Displays the Windows Start menu.
(4)	Windows applications key	Displays a shortcut menu for items beneath the pointer.
(5)	Action keys	Execute frequently used functions.

Front components



Component Description		Description
(1)	Digital Media Slot	Supports the following optional digital card formats:
		Memory Stick (MS)
		Memory Stick Pro (MSP)
		MultiMediaCard (MMC)
		Secure Digital (SD) Memory Card
		 Secure Digital High Capacity (SDHC) Memory Card (standard and large size)
		xD-Picture Card (XD)
(2)	Speakers (2)	Produce sound.


Right-side components



Component		Description		
(1)		Optical drive light	On: The optical drive is being accessed.	
			•	Off: The optical drive is idle.
(2)		Optical drive	Reads/writes optical discs.	
(3)	-	USB ports (2)	Connect optional USB devices.	

Component			Description
(4)		Battery light	 White: The computer is connected to external power and the battery is fully charged.
			 Amber: The computer is connected to external power and the battery is charging.
			 Blinking: A battery that is the only available power source has reached a low battery level. When the battery reaches a critical battery level, the battery light continues to blink.
(5)	Ą	Power connector	Connects an AC adapter.

Left-side components



Comp	onent		Description	
(1)	ß	Security cable slot	Attaches an optional security cable to the computer.	
			NOTE: The security cable is designed to act as a deterrent, but it may not prevent the computer from being mishandled or stolen.	
(2)	101	External monitor port	Connects an optional external display, such as a monitor or projector, to the computer.	
(3)	•	Audio-in (microphone) jack	Connects an optional computer headset microphone, stereo array microphone, or monaural microphone.	
(4)	O	Audio-out (headphone) jack	Produces sound when connected to optional powered stereo speakers, headphones, ear buds, a headset, or television audio.	
(5)	8	Drive light	 White: The hard drive is being accessed. Amber: HP ProtectSmart Hard Drive Protection has temporarily parked the hard drive. 	


Comp	onent		Description	
(6)	(l)	Power light	On: Power is on.	
	_		Blinking: The computer is in the Sleep state.	
			NOTE: Another power light is located next to the power button.	
(7)		Vents (3)	Enable airflow to cool internal components.	
			NOTE: The computer fan starts up automatically to cool internal components and prevent overheating. It is normal for the internal fan to cycle on and off during routine operation.	
(8)		RJ-45 (network) lights	White: The network is connected.	
			 Amber: The network is showing activity. 	
(9)	***	RJ-45 (network) jack	Connects a network cable.	
(10)		HDMI port	Connects an optional HDMI device.	
(11)		Combo eSATA/USB port	Connects an optional USB device or high- performance eSATA components, such as an eSATA external hard drive.	

Display components



Component		Description	
(1) Internal display switch Turns off the display if the display is closed while the power		Turns off the display if the display is closed while the power is on.	
(2)	Webcam light	White: The webcam is in use.	
(3)	Webcam	Records video and captures still photographs.	
(4)	Internal microphone	Record sound.	


Bottom components



Component		Description	
(1)	Battery bay	Holds the battery.	
(2)	Battery release latch	Releases the battery from the battery bay.	
(3)	Vents (6)	Enable airflow to cool internal components.	
		NOTE: The computer fan starts up automatically to cool internal components and prevent overheating. It is normal for the internal fan to cycle on and off during routine operation.	
(4)	Hard drive bay	Holds the hard drive.	
(5)	Memory/Wireless module compartment	Holds a wireless LAN module, a wireless WAN module, and memory modules. NOTE: To prevent an unresponsive system, replace the wireless module only with a wireless module authorized for use in the computer by the governmental agency that regulates wireless devices in your country or region. If you replace the module and then receive a warning message, remove the module to restore computer functionality, and then contact technical support through Help and Support.	

Wireless antennas

On select computer models, at least two antennas send and receive signals from one or more wireless devices. These antennas are not visible from the outside of the computer.



Component		Description
(1)	WLAN antennas (2)*	Send and receive wireless signals to communicate with wireless local area networks (WLANs).
(2)	WWAN antennas (2)*	Send and receive wireless signals to communicate with wireless wide-area networks (WWANs).

To see wireless regulatory notices, refer to the section of the Regulatory, Safety and Environmental Notices that applies to your country or region. These notices are located in Help and Support.

Additional hardware components



Component		Description	
(1)	Power cord*	Connects an AC adapter to an AC outlet.	
(2)	AC adapter	Converts AC power to DC power.	
(3)	Battery*	Powers the computer when the computer is not plugged into external power.	

^{*}Batteries and power cords vary in appearance by region and country.

3 Illustrated parts catalog


Serial number location

When ordering parts or requesting information, provide the computer serial number and model number located in the battery bay of the computer.



- Product name (1). This is the product name affixed to the front of the computer.
- Serial number (s/n) (2). This is an alphanumeric identifier that is unique to each product.
- Part number/Product number (p/n) (3). This number provides specific information about the product's hardware components. The part number helps a service technician to determine what components and parts are needed.
- Warranty period (4). This number describes the duration (in years) of the warranty period for the computer.
- Model description (5). This is the alphanumeric identifier used to locate documents, drivers, and support for the computer.

Computer major components



ltem	Description	Spare part number
(1)	35.56 cm (14.0-in), WXGA, HD, BrightView display assembly	:
	NOTE: See <u>Display assembly components on page 25</u> for more display assembly internal component spare part information.	
	For use in models equipped with WWAN	613667-001
	For use in models not equipped with WWAN	608207-001
(2)	Keyboards	
	For use in Brazil	608222-201
	For use in English and French Canada	608222-121
	For use in Europe, the Middle East, and Asia	608022-B31
	For use in France	608022-051
	For use in Germany	608022-041
	For use in Japan	608022-291
	For use in Latin America	608222-161
	For use in the Netherlands	608022-DH1
	For use in Russia	608222–251
	For use in Saudi Arabia	608022-171
	For use in South Korea	608222-AD1
	For use in Spain	608022-071
	For use in Switzerland	608022-BG1
	For use in Taiwan	608222-AB1
	For use in Thailand	608222-281
	For use in Turkey	608022-141
	For use in the United Kingdom	608022-031
	For use in the United States	608222-001
(3)	Top cover (includes Touchpad)	608224-001
(4)	Power button board (includes cable)	608226-001
(5)	Fingerprint reader board	608225-001
(6)	Speaker assembly (includes cable)	608232-001
(7)	USB board (includes cable)	608277-001
(8)	Power connector cable (includes power connector and cable)	608273-001
(9)	System board (includes replacement thermal material)	
	For use in models equipped with 1 GB of HD5450 discrete graphics memory	616244-001
	For use in models equipped with 512 MB of HD5450 discrete graphics memory	608203-001
	For use in models equipped with 512 MB of HD5470 discrete graphics memory	621044-001

Item	Description	Spare part number			
	For use in models equipped with 1 GB of HD5470 discrete graphics memory	621045-001			
	For use in models equipped with 512 MB of HD6370 discrete graphics memory	630713-001			
	For use in models equipped with 1 GB of HD6370 discrete graphics memory	630714-001			
	For use in models equipped with UMA graphics	608204-001			
	For use in models equipped with WiMAX and UMA graphics	633863-001			
(10)	Processor (includes replacement thermal material)				
	Intel Core i7 processor, Dual Core				
	 640M, 2.80Hz (SC turbo up to 3.33-GHz), 4-MB L3 cache 	625826-001			
	• 620M, 2.26-GHz (SC turbo up to 3.33-GHz), 4-MB L3 cache)	587259-001			
	Intel Core i5 processors, Dual Core				
	• 580M, 2.66-GHz (SC turbo up to 3.33-GHz), 3-MB L3 cache)	625825-001			
	• 560M, 2.66-GHz (SC turbo up to 3.2-GHz) 3-MB L3 cache)	625824-001			
	• 540M, 2.53-GHz, (SC turbo up to 3.06-GHz) 3-MB L3 cache)	594188-001			
	• 520M, 2.40-GHz (SC turbo up to 2.93-GHz), 3-MB L3 cache)	594187-001			
	 480M, 2.66-GHz, 3-MB L3 cache 	634693-001			
	• 460M, 2.53-GHz, 3-MB L3 cache	626039-001			
	 450M, 2.40-GHz, 3-MB L3 cache 	613585-001			
	 430M, 2.26-GHz, 3-MB L3 cache 	597624-001			
(11)	Fan/heatsink assembly (includes replacement thermal material)				
	For use in models equipped with UMA graphics	608229-001			
	For use in models equipped with discrete graphics	608231-001			
(12)	Bluetooth module	537921-001			
	NOTE: The Bluetooth module cable is included in the Misc Cable Kit, spare part number 608227-001.				
13)	HP un2420 Broadband Module (WWAN)	531993-001			
(14)	WLAN modules				
	Atheros AR9285 802.11 a/b/g/n 2x2 WiFi adapter	580101-001			
	For use in Canada, the Cayman Islands, Guam, Puerto Rico, the United States, and the US Virgin Islands				

Item Description Spare part number

Atheros AR9285 802.11 a/b/g/n 2x2 WiFi adapter

580101-002

Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentian, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belgium, Belize, Benin, Bermuda, Bhutan, Bosnia and Herzegovina, Botswana, Brazil, British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Cape Verde, Central African Republic, Chad, Chile, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, Czech Republic, Denmark, Djibouti, Dominica, Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equatorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guatemala, Guinea, Guinea-Bissau, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Republic of Moldova, Romania, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Sevchelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, United Arab Emirates, United Kingdom, Uruguay, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

Intel Centrino Wireless-N 1000 802.11b/g/n 1x2

593530-001

For use in Andorra, Antigua and Barbuda, Argentina, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belgium, Bermuda, Bolivia, Bosnia and Herzegovina, Brazil, Brunei, Bulgaria, Canada, the Cayman Islands, Chile, People's Republic of China, Colombia, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, the Dominican Republic, Ecuador, Egypt, El Salvador, Estonia, Finland, France, French Guiana, Georgia, Germany, Ghana, Greece, Guadeloupe, Guam, Guatemala, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kenya, Kuwait, Kyrgyzstan, Latvia, Lebanon, Liechtenstein, Lithuania, Luxembourg, Malawi, Malaysia, Malta, Martinique, Mauritius, Mexico, Monaco, Montenegro, Morocco, the Nether Antilles, Netherlands, New Zealand, Nicaragua, Nigeria, Norway, Oman, Pakistan, Panama, Paraguay, Peru, Philippines, Poland, Portugal, Puerto Rico, Qatar, Romania, San Marino, Saudi Arabia, Senegal, Singapore, Slovakia, Slovenia, South Africa, South Korea, Spain, Sri Lanka, Sweden, Switzerland, Taiwan, Tanzania, Thailand, Trinidad and Tobago, Turkey, Ukraine, United Arab Emirates, United Kingdom, Uruguay, the US Virgin Islands, the United States, Venezuela, and Vietnam

Broadcom 43224AGN 802.11a/b/g/draft-n WiFi Adapter

582564-001

For use in Antigua and Barbuda, Aruba, the Bahamas, Barbados, Belize, Canada, Guam, Guinea, Haiti, Jamaica, the Nether Antilles, Puerto Rico, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, the US Virgin Islands, and the United States

Item Description Spare part number

Broadcom 43224AGN 802.11a/b/g/draft-n WiFi Adapter

582564-002

For use in Albania, Algeria, Andorra, Angola, Argentina, Armenia, Australia, Austria, Azerbaijan, Bahrain, Belarus, Belgium, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guatemala, Guinea, Guinea-Bissa, Honduras, Hong Kong, Hungary, Iceland, India, Ireland, Italy, Ivory Coast, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Qatar, Republic of Moldova, Romania, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, Swaziland, Sweden, Switzerland, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, United Arab Emirates, United Kingdom, Uruguay, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

Broadcom 4313AGN 802.11a/b/g/draft-n WiFi Adapter

593836-001

For use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Diibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Iraq, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Martinique, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Puerto Rico, Peru, Philippines, Poland, Portugal, Qatar, Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, Ukraine, the United Arab Emirates, the United Kingdom, Uruguay, the United States, the US Virgin Islands, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

Item Description Spare part number

Broadcom 4313 802.11b/g/n 1x1 WiFi and 2070 Bluetooth 2.1+EDR Combo Adapter

600370-001

For use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, the People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Iraq, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Puerto Rico, Qatar, the Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, Ukraine, the United Arab Emirates, the United Kingdom, the United States, Uruguay, the US Virgin Islands, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

Realink RT3090BC4 802.11b/g/n 1x1 WiFi and Bluetooth 2.1+EDR Combo Adapter

602992-001

For use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, the People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Eguitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, the Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Peru, the Philippines, Poland, Portugal, Puerto Rico, the Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, the Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, Ukraine, the United Arab Emirates, the United Kingdom, Uruguay, the US Virgin Islands, the United States, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe


Intel® Centrino® Advanced-N + WiMAX 6250

619997-001

Intel® Centrino® Advanced-N + WiMAX 6250 for use in the United States

Item	Description	Spare part number		
(15)	Memory modules (PC3-10600, 1333-MHz)			
	4096-MB	599092-001		
	2048-MB	598856-001		
(16)	Battery			
	9-cell, 100-WH (3.0-Ah) Li-ion	636631-001		
	6-cell, 62-WH (2.80-Ah) Li-ion	593562-001		
	6-cell, 55-WH (2.55-Ah) Li-ion	593554-001		
(17)	Base enclosure (includes modem cable and optical drive cable)	608223-001		
(18)	Hard drive (includes hard drive bracket)			
	NOTE: The hard drive cable is included in the Misc Cable Kit, spare part number 608227-001.			
	750-GB, 7200 RPM	678103-001		
	640-GB, 7200 RPM	678102-001		
	500-GB, 7200 RPM	678101-001		
	320-GB, 7200 RPM	678100-001		
	160-GB solid-state drive	608215-001		
(19)	DVD±RW SuperMulti DL Drive (12.7 mm optical drive, fixed)	608221-001		


Display assembly components



Item	Description	Spare part number
(1)	Display bezel	608209-001
(2)	Webcam module	615744-001
(3)	Display panel , Brightview, high-definition, 35.56 cm (14.0-in) (includes display panel cable)	
	For use in models without WWAN	608206-001
	For use in models with WWAN	613666-001


Item	Description	Spare part number
(3)	Display hinge cover	608210-001
(4a)	Webcam cable	
(4b)	Antennas and cables	
(5)	Display hinge cover	608210-001
(6)	Display bracket	608214-001
(7)	Display back cover	608208-001
	Display Screw Kit (not illustrated; includes screws and screw covers)	608212-001
	Display cable kit (not illustrated)	608211-001
	Display cable kit for models equipped with WWAN (not illustrated)	630284-001

Plastics Kit



Item	Description	Spare part number
	Plastics kit	608233-001
(1)	Wireless/memory module mini-card compartment cover (includes captive screw)	
(2)	Hard drive bay cover (includes captive screws)	

Mass storage devices



Item	Description	Spare part number	
(1)	Optical drive (12.7 mm, SATA, fixed)		
	DVD±RW SuperMulti DL Drive	608221-001	
(2)	Hard drive (include hard drive bracket)		
	NOTE: The hard drive cable is included in the Misc Cable Kit, spare part number 608227	-001.	
	750-GB, 7200 RPM	678103-001	
	640-GB, 7200 RPM	678102-001	
	500-GB, 7200 RPM	678101-001	
	320-GB, 7200 RPM	678100-001	
	160-GB solid-state drive	608215-001	
	Hard drive mounting hardware	672516-001	

Miscellaneous parts

Description	Spare part number
AC adapters	
65-W AC adapter	609939-001
90-W AC adapter	609940-001
90-W AC adapter for use in India	609947-001
65-W AC adapter for use in India	609948-001
Power cord, AC, 3 wire, black, 1.83-m	
For use in Argentina	490371-D01
For use in Australia	490371-011
For use in Brazil	490371-202
For use in the People's Republic of China	490371-AA1
For use in Denmark	490371-081
For use in Europe, the Middle East, and Africa	490371-021
For use in India	490371-D61
For use in Italy	490371-061
For use in Japan	490371-291
For use in North America	490371-001
For use in South Korea	490371-AD1
For use in Switzerland	490371-111
For use in Taiwan	490371-AB1
For use in Thailand	490371-201
For use in the United Kingdom and Singapore	490371-031
Thermal pad kit	634366-001
RTC battery	449137-001
Speaker	663545-001
, 8 ohm	

Description	Spare part number
Rubber feet	608228-001
Screw Kit	608234-001

- Phillips M2.0x2.0 broadhead screw
- Phillips M2.0x3.0 screw
- Phillips M2.0x4.0 screw
- Phillips M2.0x5.0 screw
- Phillips M2.5x5.0 screw
- Phillips M2.5x6.5 screw
- Phillips M2.5x7.0 screw
- Phillips M3.0x3.0 screw

Sequential part number listing

Spare part number	Description
449137-001	RTC battery
490371-001	Power cord, AC, 3-pin, black, 1.83-m, for use in North America
490371-011	Power cord, AC, 3-pin, black, 1.83-m, for use in Australia
490371-021	Power cord, AC, 3-pin, black, 1.83-m, for use in Europe, the Middle East, and Africa
490371-031	Power cord, AC, 3-pin, black, 1.83-m, for use in the United Kingdom and Singapore
490371-061	Power cord, AC, 3-pin, black, 1.83-m, for use in Italy
490371-081	Power cord, AC, 3-pin, black, 1.83-m, for use in Demmark
490371-111	Power cord, AC, 3-pin, black, 1.83-m, for use in Switzerland
490371-201	Power cord, AC, 3-pin, black, 1.83-m, for use in Thailand
490371-202	Power cord, AC, 3-pin, black, 1.83-m, for use in Brazil
490371-291	Power cord, AC, 3-pin, black, 1.83-m, for use in Japan
490371-AA1	Power cord, AC, 3-pin, black,1.83-m, for use in the People's Republic of China
490371-AB1	Power cord, AC, 3-pin, black,1.83-m, for use in Taiwan
490371-AD1	Power cord, AC, 3-pin, black,1.83-m, for use in South Korea
490371-D01	Power cord, AC, 3-pin, black,1.83-m, for use in Argentina
490371-D61	Power cord, AC, 3-pin, black,1.83-m, for use in India
531993-001	HP un2420 Broadband Module (WWAN)
537921-001	Bluetooth module without cable
580101-001	Atheros AR9285 802.11 a/b/g/n 2x2 WiFi adapter for use in Canada, the Cayman Islands, Guam, Puerto Rico, the United States, and the US Virgin Islands

Spare part Description number 580101-002 Atheros AR9285 802.11 a/b/g/n 2x2 WiFi adapter for use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentian, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belgium, Belize, Benin, Bermuda, Bhutan, Bosnia and Herzegovina, Botswana, Brazil, British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Cape Verde, Central African Republic, Chad, Chile, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, Czech Republic, Denmark, Djibouti, Dominica, Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equatorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guatemala, Guinea, Guinea-Bissau, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Republic of Moldova, Romania, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, United Arab Emirates, United Kingdom, Uruguay, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe 582564-001 Broadcom 43224AGN 802.11a/b/g/draft-n WiFi Adapter for use in Antigua and Barbuda, Aruba, the Bahamas, Barbados, Belize, Canada, Guam, Guinea, Haiti, Jamaica, the Nether Antilles, Puerto Rico, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, the US Virgin Islands, and the United 582564-002 Broadcom 43224AGN 802.11a/b/g/draft-n WiFi Adapter for use in Albania, Algeria, Andorra, Angola, Argentina, Armenia, Australia, Austria, Azerbaijan, Bahrain, Belarus, Belgium, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guatemala, Guinea, Guinea-Bissa, Honduras, Hong Kong, Hungary, Iceland, India, Ireland, Italy, Ivory Coast, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambigue, Namibia, Nauru, Nepal, Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Qatar, Republic of Moldova, Romania, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, Swaziland, Sweden, Switzerland, Taiwan, Taiikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, United Arab Emirates, United Kingdom, Uruguay, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe 587259-001 Intel Core i7 620M Dual Core processor, 2.26-GHz (SC turbo up to 3.33-GHz), 4-MB L3 cache)

Spare part number	Description
593530-001	Intel Centrino Wireless-N 1000 802.11b/g/n 1x2 for use in Andorra, Antigua and Barbuda, Argentina, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belgium, Bermuda, Bolivia, Bosnia and Herzegovina, Brazil, Brunei, Bulgaria, Canada, the Cayman Islands, Chile, People's Republic of China, Colombia, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, the Dominican Republic, Ecuador, Egypt, El Salvador, Estonia, Finland, France, French Guiana, Georgia, Germany, Ghana, Greece, Guadeloupe, Guam, Guatemala, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kenya, Kuwait, Kyrgyzstan, Latvia, Lebanon, Liechtenstein, Lithuania, Luxembourg, Malawi, Malaysia, Malta, Martinique, Mauritius, Mexico, Monaco, Montenegro, Morocco, the Nether Antilles, Netherlands, New Zealand, Nicaragua, Nigeria, Norway, Oman, Pakistan, Panama, Paraguay, Peru, Philippines, Poland, Portugal, Puerto Rico, Qatar, Romania, San Marino, Saudi Arabia, Senegal, Singapore, Slovakia, Slovenia, South Africa, South Korea, Spain, Sri Lanka, Sweden, Switzerland, Taiwan, Tanzania, Thailand, Trinidad and Tobago, Turkey, Ukraine, United Arab Emirates, United Kingdom, Uruguay, the US Virgin Islands, the United States, Venezuela, and Vietnam
593554-001	6-cell 55-WH (2.55Ah) Li-ion battery
593562-001	6-cell 62-WH (2.80-Ah) Li-ion battery
593836-001	Broadcom 4313AGN 802.11a/b/g/draft-n WiFi Adapter for use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Iraq, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Martinique, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Puerto Rico, Peru, Philippines, Poland, Portugal, Qatar, Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuval
594187-001	Intel Core i5 520M Dual Core processor, 2.40-GHz (SC turbo up to 2.93-GHz), 3-MB L3 cache)
594188-001	Intel Core i5 540M Dual Core processor, 2.53-GHz (SC turbo up to 3.06-GHz), 3-MB L3 cache)
597624-001	Intel Core i5 430M Dual Core processor (2.26-GHz, 3-MB L3 cache)
598856-001	Memory module, 2048-MB, PC3 10600, 1333-MHz
599092-001	Memory module, 4096-MB, PC3 10600, 1333-MHz

Spare part number	Description	
600370-001	Broadcom 4313 802.11b/g/n 1x1 WiFi and 2070 Bluetooth 2.1+EDR Combo Adapter for use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, the People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Iraq, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Puerto Rico, Qatar, the Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tun	
602992-001	Realink RT3090BC4 802.11b/g/n 1x1 WiFi and Bluetooth 2.1+EDR Combo Adapter for use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, the People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Fiinland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, the Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Peru, the Philippines, Poland, Portugal, Puerto Rico, the Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, He Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisi	
608203-001	System board (includes replacement thermal material) for use in models with 512 MB of HD5450 discrete graphics memory	
608204-001	System board (includes replacement thermal material) for use in models with UMA graphics subsystem	
608206-001	35.56 cm (14.0-in) display panel, high definition, Brightview for use in models without WWAN	
608207-001	35.56 cm (14.0-in) WXGA Brightview display assembly for use in models not equipped with WWAN	
608208-001	Display enclosure	
608209-001	Display bezel	
608210-001	Display hinge cover	

Spare part number	Description
608211-001	Display Cable Kit
608212-001	Display Screw Kit
608214-001	Display bracket (with hinges)
608215-001	Hard drive, 160-GB, solid state
608221-001	DVD±RW SuperMulti DL Drive
608222-001	Keyboard for use in the United States
608222-031	Keyboard for use in the United Kingdom
608222-041	Keyboard for use in Germany
608222-051	Keyboard for use in France
608222-071	Keyboard for use in Spain
608222-121	Keyboard for use in English and French Canada
608222-141	Keyboard for use in Turkey
608222-161	Keyboard for use in Latin America
608222-171	Keyboard for use in Saudi Arabia
608222-201	Keyboard for use in Brazil
608222–251	Keyboard for use in Russia
608222-281	Keyboard for use in Thailand
608222-291	Keyboard for use in Japan
608222-AB1	Keyboard for use in Taiwan
608222-AD1	Keyboard for use in South Korea
608222-B31	Keyboard for use in Europe, the Middle East, and Africa
608222-BG1	Keyboard for use in Switzerland
608222-DH1	Keyboard for use in the Netherlands
608223-001	Base enclosure
608224-001	Top cover (includes Touchpad and bracket, button board, and cable)
608225-001	Fingerprint reader board
608226-001	Power button board (includes cable)
608227-001	Misc Cable Kit (includes Bluetooth module cable and hard drive cable)
608228-001	Rubber feet
608229-001	Fan/heat sink for use in models with UMA graphics (includes replacement thermal material)
608231-001	Fan/heat sink assembly for use in models with discrete graphics (includes replacement thermal material)
608232-001	Speaker assembly (includes cable)
608233-001	Plastics Kit
608234-001	Screw Kit

Spare part number	Description	
608273-001	Power connector with cable	
608277-001	USB board with cable	
609939-001	65-W AC adapter	
609940-001	90-W AC adapter	
609947-001	90-W AC adapter for use in India	
609948-001	65-W AC adapter for use in India	
613585-001	Intel Core i5 450M Dual Core processor (2.40-GHz, 3-MB L3 cache)	
613666-001	35.56 cm (14.0-in) display panel, high definition, BrightView for use in models with WWAN	
613667-001	35.56 cm (14.0-in) WXGA Brightview display assembly for use in models equipped with WWAN	
615744-001	Webcam module	
616244-001	System board (includes replacement thermal material) for use in models with 1 GB of HD5450 discrete graphics memory	
619997-001	Intel® Centrino® Advanced–N + WiMAX 6250 WLAN module for use in the United States	
621044-001	System board for use in models equipped with 512 MB of HD5470 discrete graphics memory	
621045-001	System board for use in models equipped with 1 GB of HD5470 discrete graphics memory	
625824-001	Intel Core i5 560M Dual Core processor, 2.66-GHz, (SC turbo up to 3.2-GHz), 3-MB L3 cache	
625825-001	Intel Core i5 580M Dual Core processor, 2.66-GHz, (SC turbo up to 3.33-GHz), 3-MB L3 cache	
625826-001	Intel Core i7 640M Dual Core processor, 2.80Hz (SC turbo up to 3.33-GHz), 4-MB L3 cache	
626039-001	Intel Core i5 460M Dual Core processor, 2.53-GHz, 3-MB L3 cache	
630284-001	Display cable kit for models equipped with WWAN	
630713-001	System board for use in models equipped with 512 MB of HD6370 discrete graphics memory	
630714-001	System board for use in models equipped with 1 GB of HD6370 discrete graphics memory	
633863-001	System board for use in models equipped with WiMAX and UMA graphics	
634336-001	Thermal pad kit	
634693-001	Intel Core i5 480M Dual Core processor, 2.66-GHz, 3-MB L3 cache	
636631-001	9-cell, 100-WH (3.0-Ah) Li-ion battery	
663545-001	Speaker, 8 ohm	
672516-001	Hard drive mounting hardware	
678100-001	320-GB, 7200 RPM hard drive	
678101-001	500-GB, 7200 RPM hard drive	
678102-001	640-GB, 7200 RPM hard drive	
678103-001	750-GB, 7200 RPM hard drive	

4 Removal and replacement procedures

Preliminary replacement requirements

Tools required

You will need the following tools to complete the removal and replacement procedures:

- Flat-bladed screwdriver
- Magnetic screwdriver
- Phillips P0 and P1 screwdrivers

Service considerations

The following sections include some of the considerations that you must keep in mind during disassembly and assembly procedures.

NOTE: As you remove each subassembly from the computer, place the subassembly (and all accompanying screws) away from the work area to prevent damage.

Plastic parts

Using excessive force during disassembly and reassembly can damage plastic parts. Use care when handling the plastic parts. Apply pressure only at the points designated in the maintenance instructions.

Cables and connectors

A CAUTION: When servicing the computer, be sure that cables are placed in their proper locations during the reassembly process. Improper cable placement can damage the computer.

Cables must be handled with extreme care to avoid damage. Apply only the tension required to unseat or seat the cables during removal and insertion. Handle cables by the connector whenever possible. In all cases, avoid bending, twisting, or tearing cables. Be sure that cables are routed in such a way that they cannot be caught or snagged by parts being removed or replaced. Handle flex cables with extreme care; these cables tear easily.

Drive handling

↑ CAUTION: Drives are fragile components that must be handled with care. To prevent damage to the computer, damage to a drive, or loss of information, observe these precautions:

Before removing or inserting a hard drive, shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.

Before handling a drive, be sure that you are discharged of static electricity. While handling a drive, avoid touching the connector.

Before removing a diskette drive or optical drive, be sure that a diskette or disc is not in the drive and be sure that the optical drive tray is closed.

Handle drives on surfaces covered with at least one inch of shock-proof foam.

Avoid dropping drives from any height onto any surface.

After removing a hard drive, an optical drive, or a diskette drive, place it in a static-proof bag.

Avoid exposing a hard drive to products that have magnetic fields, such as monitors or speakers.

Avoid exposing a drive to temperature extremes or liquids.

If a drive must be mailed, place the drive in a bubble pack mailer or other suitable form of protective packaging and label the package "FRAGILE."

Grounding guidelines

Electrostatic discharge damage

Electronic components are sensitive to electrostatic discharge (ESD). Circuitry design and structure determine the degree of sensitivity. Networks built into many integrated circuits provide some protection, but in many cases, ESD contains enough power to alter device parameters or melt silicon junctions.

A discharge of static electricity from a finger or other conductor can destroy static-sensitive devices or microcircuitry. Even if the spark is neither felt nor heard, damage may have occurred.

An electronic device exposed to ESD may not be affected at all and can work perfectly throughout a normal cycle. Or the device may function normally for a while, then degrade in the internal layers, reducing its life expectancy.

A CAUTION: To prevent damage to the computer when you are removing or installing internal components, observe these precautions:

Keep components in their electrostatic-safe containers until you are ready to install them.

Use nonmagnetic tools.

Before touching an electronic component, discharge static electricity by using the guidelines described in this section.

Avoid touching pins, leads, and circuitry. Handle electronic components as little as possible.

If you remove a component, place it in an electrostatic-safe container.

The following table shows how humidity affects the electrostatic voltage levels generated by different activities.

♠ CAUTION: A product can be degraded by as little as 700 V.

Typical electrostatic voltage levels			
	Relative humidity		
Event	10%	40%	55%
Walking across carpet	35,000 V	15,000 V	7,500 V
Walking across vinyl floor	12,000 V	5,000 V	3,000 V
Motions of bench worker	6,000 V	800 V	400 V
Removing DIPS from plastic tube	2,000 V	700 V	400 V
Removing DIPS from vinyl tray	11,500 V	4,000 V	2,000 V
Removing DIPS from Styrofoam	14,500 V	5,000 V	3,500 V
Removing bubble pack from PCB	26,500 V	20,000 V	7,000 V
Packing PCBs in foam-lined box	21,000 V	11,000 V	5,000 V

Packaging and transporting guidelines

Follow these grounding guidelines when packaging and transporting equipment:

- To avoid hand contact, transport products in static-safe tubes, bags, or boxes.
- Protect ESD-sensitive parts and assemblies with conductive or approved containers or packaging.
- Keep ESD-sensitive parts in their containers until the parts arrive at static-free workstations.
- Place items on a grounded surface before removing items from their containers.
- Always be properly grounded when touching a component or assembly.
- Store reusable ESD-sensitive parts from assemblies in protective packaging or nonconductive foam.
- Use transporters and conveyors made of antistatic belts and roller bushings. Be sure that
 mechanized equipment used for moving materials is wired to ground and that proper materials
 are selected to avoid static charging. When grounding is not possible, use an ionizer to dissipate
 electric charges.

Workstation guidelines

Follow these grounding workstation guidelines:

- Cover the workstation with approved static-shielding material.
- Use a wrist strap connected to a properly grounded work surface and use properly grounded tools and equipment.
- Use conductive field service tools, such as cutters, screwdrivers, and vacuums.
- When fixtures must directly contact dissipative surfaces, use fixtures made only of static-safe materials.
- Keep the work area free of nonconductive materials, such as ordinary plastic assembly aids and Styrofoam.
- Handle ESD-sensitive components, parts, and assemblies by the case or PCM laminate. Handle these items only at static-free workstations.
- Avoid contact with pins, leads, or circuitry.
- Turn off power and input signals before inserting or removing connectors or test equipment.

Equipment guidelines

Grounding equipment must include either a wrist strap or a foot strap at a grounded workstation.

- When seated, wear a wrist strap connected to a grounded system. Wrist straps are flexible straps with a minimum of one megohm ±10% resistance in the ground cords. To provide proper ground, wear a strap snugly against the skin at all times. On grounded mats with banana-plug connectors, use alligator clips to connect a wrist strap.
- When standing, use foot straps and a grounded floor mat. Foot straps (heel, toe, or boot straps)
 can be used at standing workstations and are compatible with most types of shoes or boots. On
 conductive floors or dissipative floor mats, use foot straps on both feet with a minimum of one
 megohm resistance between the operator and ground. To be effective, the conductive strips
 must be worn in contact with the skin.

The following grounding equipment is recommended to prevent electrostatic damage:

- Antistatic tape
- Antistatic smocks, aprons, and sleeve protectors
- Conductive bins and other assembly or soldering aids
- Nonconductive foam
- Conductive tabletop workstations with ground cords of one megohm resistance
- Static-dissipative tables or floor mats with hard ties to the ground
- Field service kits
- Static awareness labels
- Material-handling packages
- Nonconductive plastic bags, tubes, or boxes
- Metal tote boxes
- Electrostatic voltage levels and protective materials

The following table lists the shielding protection provided by antistatic bags and floor mats.

Material	Use	Voltage protection level
Antistatic plastic	Bags	1,500 V
Carbon-loaded plastic	Floor mats	7,500 V
Metallized laminate	Floor mats	5,000 V

Component replacement procedures

This chapter provides removal and replacement procedures.

There are as many as 75 screws, in 12 different sizes, that must be removed, replaced, or loosened when servicing the computer. Make special note of each screw size and location during removal and replacement.

Serial number

The serial number label, located in the battery bay of the computer, provides important information that you may need when contacting technical support.




- Product name (1). This is the product name affixed to the front of the computer.
- Serial number (s/n) (2). This is an alphanumeric identifier that is unique to each product.
- Part number/Product number (p/n) (3). This number provides specific information about the product's hardware components. The part number helps a service technician to determine what components and parts are needed.
- Warranty period (4). This number describes the duration (in years) of the warranty period for the computer.
- Model description (5). This is the alphanumeric identifier used to locate documents, drivers, and support for the computer.

Computer feet

Description	Spare part number
Rubber Feet Kit	608228-001

The computer feet are adhesive-backed rubber pads. The feet attach to the base enclosure in the locations illustrated below.



Battery


Description	Spare part number
9-cell, 100-WH (3.0-Ah) Li-ion	636631-001
6-cell, 55-WH (2.55Ah) Li-ion	593554-001
6-cell, 62-WH (2.80-Ah) Li-ion	593562-001

Before disassembling the computer, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.

Remove the battery:

- 1. Turn the computer upside down on a flat surface.
- 2. Slide the battery release latch (1) to release the battery.
- 3. Pivot the battery (2) upward and lift it out of the computer (3).



To insert the battery, insert the rear edge of the battery into the battery bay and pivot the front edge downward until the battery is seated. The battery release latch automatically locks the battery into place.

SIM

NOTE: This section applies only to computer models with WWAN capability.


NOTE: If there is a SIM inserted in the SIM slot, it must be removed before disassembling the computer. Be sure that the SIM is reinserted in the SIM slot after reassembling the computer.

Before removing the SIM, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 42</u>).

Remove the SIM:

- 1. Press in on the SIM (1). The module is partially ejected from the SIM slot.
- 2. Remove the SIM (2) from the SIM slot.



Reverse this procedure to install the SIM.

Memory module


Description	Spare part number
4096-MB, PC3 10600, 1333-MHz	599092-001
2048-MB, PC3 10600, 1333-MHz	598856-001

Before removing the memory module, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 42</u>).


Remove the memory module:

- 1. Turn the computer upside down with the front toward you.
- Loosen the two Phillips PM2.5×5.0 captive screws (1) that secure the memory/wireless module compartment cover to the computer.
- 3. Lift the left side of the cover (2), swing it forward, and remove it (3). The memory/wireless compartment cover is included in the plastics kit, spare part number 608233-001.



4. Spread the retaining tabs (1) on each side of the memory module slot to release the memory module. (The edge of the module opposite the slot rises away from the computer.)

- Remove the module (2) by pulling it away from the slot at an angle.
- NOTE: Memory modules are designed with a notch (3) to prevent incorrect insertion into the memory module slot.



Reverse this procedure to install a memory module.

RTC battery


Description	Spare part number
RTC battery	449137-001

Before removing the RTC battery, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 42</u>).
- 5. Hard drive cover (see Hard drive on page 53).

Remove the RTC battery:

- 1. Turn the system board upside down.
- 2. Release the RTC battery from the clips on the system board (1).
- Remove the RTC battery (2).



Reverse this procedure to install the RTC battery.

WLAN module

399

NOTE: The WLAN module and the WWAN module are not interchangeable.

Description	Spare part number
Atheros AR9285 802.11 a/b/g/n 2x2 WiFi adapter	580101-001
For use in Canada, the Cayman Islands, Guam, Puerto Rico, the United States, and the US Virgin Islands	

Atheros AR9285 802.11 a/b/g/n 2x2 WiFi adapter

580101-002

For use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentian, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belgium, Belize, Benin, Bermuda, Bhutan, Bosnia and Herzegovina, Botswana, Brazil, British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Cape Verde, Central African Republic, Chad, Chile, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, Czech Republic, Denmark, Djibouti, Dominica, Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equatorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guatemala, Guinea, Guinea-Bissau, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambigue, Namibia, Nauru, Nepal, the Nether Antilles, Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Republic of Moldova, Romania, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, United Arab Emirates, United Kingdom, Uruguay, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

Intel Centrino Wireless-N 1000 802.11b/g/n 1x2

593530-001

For use in Andorra, Antigua and Barbuda, Argentina, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belgium, Bermuda, Bolivia, Bosnia and Herzegovina, Brazil, Brunei, Bulgaria, Canada, the Cayman Islands, Chile, People's Republic of China, Colombia, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, the Dominican Republic, Ecuador, Egypt, El Salvador, Estonia, Finland, France, French Guiana, Georgia, Germany, Ghana, Greece, Guadeloupe, Guam, Guatemala, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kenya, Kuwait, Kyrgyzstan, Latvia, Lebanon, Liechtenstein, Lithuania, Luxembourg, Malawi, Malaysia, Malta, Martinique, Mauritius, Mexico, Monaco, Montenegro, Morocco, the Nether Antilles, Netherlands, New Zealand, Nicaragua, Nigeria, Norway, Oman, Pakistan, Panama, Paraguay, Peru, Philippines, Poland, Portugal, Puerto Rico, Qatar, Romania, San Marino, Saudi Arabia, Senegal, Singapore, Slovakia, Slovenia, South Africa, South Korea, Spain, Sri Lanka, Sweden, Switzerland, Taiwan, Tanzania, Thailand, Trinidad and Tobago, Turkey, Ukraine, United Arab Emirates, United Kingdom, Uruguay, the US Virgin Islands, the United States, Venezuela, and Vietnam

Broadcom 43224AGN 802.11a/b/g/draft-n WiFi Adapter

582564-001

For use in Antigua and Barbuda, Aruba, the Bahamas, Barbados, Belize, Canada, Guam, Guinea, Haiti, Jamaica, the Nether Antilles, Puerto Rico, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, the US Virgin Islands, and the United States

Description Spare part number

Broadcom 43224AGN 802.11a/b/g/draft-n WiFi Adapter

582564-002

For use in Albania, Algeria, Andorra, Angola, Argentina, Armenia, Australia, Austria, Azerbaijan, Bahrain, Belarus, Belgium, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guatemala, Guinea, Guinea-Bissa, Honduras, Hong Kong, Hungary, Iceland, India, Ireland, Italy, Ivory Coast, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambigue, Namibia, Nauru, Nepal, Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Qatar, Republic of Moldova, Romania, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, Swaziland, Sweden, Switzerland, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, United Arab Emirates, United Kingdom, Uruguay, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

Broadcom 4313AGN 802.11a/b/g/draft-n WiFi Adapter

593836-001

For use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hond Kong, Hungary, Iceland, India, Iraq, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Martinique, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Puerto Rico, Peru, Philippines, Poland, Portugal, Qatar, Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, Ukraine, the United Arab Emirates, the United Kingdom, Uruguay, the United States, the US Virgin Islands, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

Description Spare part number	
-------------------------------	--

Realink RT3090BC4 802.11b/g/n 1x1 WiFi and Bluetooth 2.1+EDR Combo Adapter

602992-001

For use in Afghanistan, Albania, Algeria, Andorra, Angola, Antiqua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, the People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, the Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, the Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Peru, the Philippines, Poland, Portugal, Puerto Rico, the Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, the Solomon Islands, Somalia, South Africa, South Korea, Spain, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and Grenadines, Suriname, Swaziland, Sweden, Switzerland, Syria, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, Ukraine, the United Arab Emirates, the United Kingdom, Uruguay, the US Virgin Islands, the United States, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

Broadcom 4313 802.11b/g/n 1x1 WiFi and 2070 Bluetooth 2.1+EDR Combo Adapter

600370-001

For use in Afghanistan, Albania, Algeria, Andorra, Angola, Antigua and Barbuda, Argentina, Armenia, Aruba, Australia, Austria, Azerbaijan, Bahamas, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Belize, Benin, Bermuda, Bhutan, Bolivia, Bosnia and Herzegovina, Botswana, Brazil, the British Virgin Islands, Brunei, Bulgaria, Burkina Faso, Burundi, Cambodia, Cameroon, Canada, Cape Verde, the Cayman Islands, Central African Republic, Chad, Chile, the People's Republic of China, Colombia, Comoros, Congo, Costa Rica, Croatia, Cyprus, Czech Republic, Denmark, Djibouti, Dominica, the Dominican Republic, East Timor, Ecuador, Egypt, El Salvador, Equitorial Guinea, Eritrea, Estonia, Ethiopia, Fiji, Finland, France, French Guiana, Gabon, Gambia, Georgia, Germany, Ghana, Gibraltar, Greece, Grenada, Guadeloupe, Guam, Guatemala, Guinea, Guinea-Bissa, Guyana, Haiti, Honduras, Hong Kong, Hungary, Iceland, India, Indonesia, Iraq, Ireland, Israel, Italy, Ivory Coast, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kiribati, Kuwait, Kyrgyzstan, Laos, Latvia, Lebanon, Lesotho, Liberia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Madagascar, Malawi, Malaysia, Maldives, Mali, Malta, Marshall Islands, Martinique, Mauritania, Mauritius, Mexico, Micronesia, Monaco, Mongolia, Montenegro, Morocco, Mozambique, Namibia, Nauru, Nepal, the Nether Antilles, the Netherlands, New Zealand, Nicaragua, Niger, Nigeria, Norway, Oman, Pakistan, Palau, Panama, Papua New Guinea, Paraguay, Peru, Philippines, Poland, Portugal, Puerto Rico, Qatar, the Republic of Moldova, Romania, Russia, Rwanda, Samoa, San Marino, Sao Tome and Principe, Saudi Arabia, Senegal, Serbia and Montenegro, Seychelles, Sierra Leone, Singapore, Slovakia, Slovenia, Solomon Islands, Somalia, South Africa, South Korea, Sri Lanka, St. Kitts and Nevis, St. Lucia, St. Vincent and the Grenadines, Suriname, Swaziland, Sweden, Switzerland, Taiwan, Tajikistan, Tanzania, Thailand, Togo, Tonga, Trinidad and Tobago, Tunisia, Turkey, Turkmenistan, Tuvalu, Uganda, Ukraine, the United Arab Emirates, the United Kingdom, the United States, Uruguay, the US Virgin Islands, Uzbekistan, Vanuatu, Venezuela, Vietnam, Yemen, Zaire, Zambia, and Zimbabwe

Intel® Centrino® Advanced-N + WiMAX 6250 WLAN module

619997-001


For use in the United States

Before removing the WLAN module, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 42</u>).
- 5. Remove the memory/wireless module compartment cover (see Memory module on page 44).

Remove the WLAN module:

- 1. Turn the computer upside down with the front toward you.
- 2. Disconnect the two WLAN antenna cables (1) from the WLAN module.
- 3. Remove the two Phillips PM2.0×4.0 screws (2) that secure the WLAN module to the computer. (The edge of the module opposite the slot rises away from the computer.)
- 4. Remove the WLAN module (3) by pulling it away from the slot at an angle.
 - CAUTION: To prevent an unresponsive system, replace the wireless module only with a wireless module authorized for use in the computer by the governmental agency that regulates wireless devices in your country or region. If you replace the module and then receive a warning message, remove the module to restore computer functionality, and then contact technical support through Help and Support.
 - NOTE: WLAN modules are designed with a notch (4) to prevent incorrect insertion into the WLAN module slot.



Reverse this procedure to install a WLAN module.

WWAN module

NOTE: The WWAN module and the WLAN module are not interchangeable.

Description	Spare part number
HP un2420 Broadband Module (WWAN)	531993-001


Before removing the WWAN module, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- Remove the battery (see <u>Battery on page 42</u>).
- 5. Remove the memory/wireless module compartment cover (see Memory module on page 44).

Remove the WWAN module:

- 1. Turn the computer upright with the front toward you.
- 2. Disconnect the two WWAN antenna cables (1) from the WWAN module.
- 3. Remove the two Phillips PM2.0×4.0 screws (2) that secure the WWAN module to the computer. (The edge of the module opposite the slot rises away from the computer.)

- 4. Remove the WWAN module (3) by pulling it away from the slot at an angle.
- NOTE: WWAN modules are designed with a notch (4) to prevent incorrect insertion into the WWAN module slot.



Reverse the above procedure to install the WWAN module.

Hard drive

NOTE: All hard drive spare part kits include a hard drive bracket.

NOTE: The hard drive cable is included in the Misc Cable Kit, spare part number 608227-001.


Description	Spare part number
750-GB, 7200 RPM	678103-001
640-GB, 7200 RPM	678102-001
500-GB, 7200 RPM	678101-001
320-GB, 7200 RPM	678100-001
Hard drive mounting hardware	672516-001

Before removing the hard drive, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 42</u>).
- 5. Remove the memory/wireless module compartment cover (see Memory module on page 44)


Remove the hard drive:

- 1. Position the computer with the front toward you.
- 2. Loosen the two captive Phillips PM2.5×5.0 screws (1) that secure the hard drive cover to the computer.
- 3. Lift the cover up at an angle (2) and remove it (3). The hard drive cover is included in the plastics kit, spare part number 608233-001.




4. Disconnect the hard drive cable from the system board (1).

5. Lift the hard drive out of the hard drive bay (2).



- 6. If it is necessary to replace the hard drive bracket (also called the protective cover), disconnect the hard drive cable (1) from the hard drive.
- 7. Remove the four Phillips PM3.0×3.0 screws (2) and cover (3) only If the hard drive does not already have these components preassembled.



Reverse this procedure to reassemble and install the hard drive.

Optical drive


Description	Spare part number
DVD±RW SuperMulti DL Drive	608221-001

Before removing the optical drive, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- **4.** Remove the battery (see <u>Battery on page 42</u>).
- 5. Remove the memory/wireless module compartment cover (see Memory module on page 44).
- **6.** Remove the hard drive cover (see <u>Hard drive on page 53</u>).


Remove the optical drive:

- 1. Position the computer upside down with the front toward you.
- 2. Remove the Phillips PM2.5x5.0 screw (1) that secures the optical drive to the computer.
- Use a flat-bladed screwdriver or similar tool to push the drive bracket (2) to release the optical drive.
- 4. Remove the optical drive (3).




5. If it is necessary to remove the drive bezel, insert the end of a paper clip into the release access hole (1) in the optical drive bezel. Press in gently until the tray is released.


6. Firmly pull outward on the open tray (2) until the drive slides out.



7. Press the bezel release button (1), lift the bezel at an angle (2), and remove the bezel (3).



- **8.** If it is necessary to replace the optical drive bracket, position the optical drive with the optical drive bracket toward you.
- **9.** Remove the two Phillips PM2.0×3.0 screws **(1)** that secure the optical drive bracket to the optical drive.
- **10.** Remove the optical drive bracket **(2)**.



Reverse the above procedure to reassemble and install the optical drive.

Keyboard

Description	Spare part number
Keyboard for use in Brazil	608222-201
Keyboard for use in English and French Canada	608222-121
Keyboard for use in Europe, the Middle East, and Asia	608222-B31
Keyboard for use in France	608222-051
Keyboard for use in Germany	608222-041
Keyboard for use in Japan	608222-291
Keyboard for use in Latin America	608222-161
Keyboard for use in the Netherlands	608222-DH1
Keyboard for use in Russia	608222-251
Keyboard for use in Saudi Arabia	608222-171
Keyboard for use in South Korea	608222-AD1
Keyboard for use in Spain	608222-071
Keyboard for use in Switzerland	608222-BG1
Keyboard for use in Taiwan	608222-AB1
Keyboard for use in Thailand	608222-281
Keyboard for use in Turkey	608222-141
Keyboard for use in the United Kingdom	608222-031
Keyboard for use in the United States	608222-001


Before removing the keyboard, follow these steps:

- Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 42</u>).
- **5**. Remove the memory/wireless compartment cover (see Memory module on page 44).
- Remove the hard drive cover (see <u>Hard drive on page 53</u>).

Remove the keyboard:

Turn the computer upside down with the front toward you.

2. Remove the two Phillips PM2.5×6.5 screws that secure the keyboard to the computer.



- 3. Turn the computer right-side up with the front toward you.
- 4. Open the computer as far as possible.
- 5. Release the top edge of the keyboard by lifting it up to disengage the keyboard from the tabs on the top cover (1).
- 6. Rotate the keyboard over until it rests on the palm rest (2).
- 7. Release the zero insertion force (ZIF) connector to which the keyboard cable is attached and disconnect the keyboard cable (3) from the system board.



8. Remove the keyboard.

Reverse this procedure to install the keyboard.

Top cover


Description	Spare part number
Top cover (includes Touchpad and bracket, button board, and cable)	608224-001

Before removing the top cover, follow these steps:


- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the following components:
 - **a.** Battery (see <u>Battery on page 42</u>)
 - **b.** Hard drive (see <u>Hard drive on page 53</u>)
 - **c.** Optical drive (see Optical drive on page 55)
 - d. Keyboard (see Keyboard on page 57)

Remove the top cover:


- 1. Turn the computer upside down with the front toward you.
- 2. Remove the two feet near the battery (1) and the 11 Phillips PM2.5×7.0 screws (2) that secure the top cover to the base enclosure. Two of the screws are under the feet.



3. Remove the six Phillips PM2.0x2.0 broadhead screws that secure the top cover to the base enclosure.




- 4. Turn the computer right-side up with the front toward you.
- 5. Open the computer as far as possible.
- 6. Remove the four Phillips PM2.0×4.0 screws that secure the top cover to the base enclosure, and then disengage the top cover from the base enclosure and lift the top cover up enough to gain access to the cables.



7. Release the ZIF connector to which the power button board is connected and disconnect the cable from the system board (1).

- 8. Release the ZIF connector to which the TouchPad button board cable is connected and disconnect the cable from the system board (2).
- Release the ZIF connector to which the fingerprint reader board cable is connected and disconnect the cable from the system board (3).



10. Remove the top cover from the base enclosure.



Reverse this procedure to install the top cover.

Fingerprint reader board

Description	Spare part number
Fingerprint reader board	608225-001


Before removing the fingerprint reader board, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 42</u>).
- 5. Remove the following components:
 - **a.** Hard drive (see <u>Hard drive on page 53</u>)
 - **b.** Optical drive (see Optical drive on page 55)
 - **c.** Keyboard (see <u>Keyboard on page 57</u>)
 - **d.** Top cover (see <u>Top cover on page 59</u>)

Remove the fingerprint reader board:

- 1. Turn the top cover upside down, with the front toward you.
- 2. Remove the Phillips PM2.0×3.0 screw (1) that secures the fingerprint reader board and bracket to the top cover.
- 3. Release the ZIF connector on the fingerprint reader board and disconnect the cable (2) from the connector.
- 4. Remove the fingerprint reader board bracket (3) from the top cover.

5. Remove the fingerprint reader board (4) from the top cover.



Reverse the above procedure to install the fingerprint reader board.

NOTE: To reinstall, place the board into the slot, and then place the bracket over it by setting the right side of bracket into the slots. Then replace the screw.

Power button board

Description	Spare part number
Power button board (includes cable)	608226-001

Before removing the power button board, follow these steps:


- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 42</u>).
- **5.** Remove the following components:
 - **a.** Hard drive (see <u>Hard drive on page 53</u>)
 - **b.** Optical drive (see Optical drive on page 55)
 - **c.** Keyboard (see <u>Keyboard on page 57</u>)
 - **d.** Top cover (see <u>Top cover on page 59</u>)

Reverse this procedure to install the power button board.

Remove the power button board:

- 1. Turn the top cover upside down with the rear edge toward you.
- Remove the two Phillips PM2.0×3.0 screws (1) that secure the power button board to the top cover.

3. Remove the power button board (2).



Reverse the above procedure to install the power button board.

Display assembly

Description	Spare part number
35.56 cm (14.0-in) WXGA Brightview display assembly for use in models equipped with WWAN	613667-001
35.56 cm (14.0-in) WXGA Brightview display assembly for use in models not equipped with WWAN	608207-001


Before removing the display assembly, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 42</u>).
- Disconnect the wireless antenna cables from the WLAN module (see <u>WLAN module</u> on page 47).
- **6.** Remove the following components:
 - a. WLAN module (see WLAN module on page 47)
 - **b.** WWAN module (see <u>WWAN module on page 51</u>)
 - c. Keyboard (see Keyboard on page 57)

- **d.** Optical drive (see Optical drive on page 55)
- e. Top cover (see Top cover on page 59)


Remove the display assembly:

- 1. Turn the computer display-side up, with the front toward you.
- 2. Open the display as far as possible.
- 3. Disconnect the display panel cable (1) from the system board.
- 4. Remove the four black Phillips PM2.5×6.5 screws (2) that secure the display assembly to the computer.
- 5. Remove the wireless antenna cables from the hole (3) built into the base enclosure.
- 6. Remove the display assembly (4).




NOTE: In the left main display hinge, screws populate the right and left holes in the hinge (no screw in the middle hole). In the right main hinge, screws populate the left two holes in the hinge.

If it is necessary to remove the display brackets, remove the two Phillips PM2.0×3.0 screws (1) that secure the brackets to base enclosure, and the remove the brackets (2).




- If it is necessary to replace any of the display assembly internal components, remove the following screw covers and screws. The display screw covers are included in the Display Screw Kit, spare part number 608212-001.
 - (1) Two Mylar screw covers on the display bezel bottom edge
 - (2) Two Phillips PM2.5×5.0 screws




Flex the inside edge of the top (1), the left and right sides (2), and the bottom (3) of the display bezel until the bezel disengages from the display back cover.

10. Remove the display bezel **(4)**. The display bezel is available using spare part number 608209-001.




11. If it is necessary to replace the webcam module, lift the webcam from the double-sided tape on the display back cover (1), disconnect the webcam cable (2) from the module, and remove the webcam. The webcam is available using spare part number 615744-001.




12. If it is necessary to replace the display panel, remove the four Phillips PM2.0×5.0 screws (1) that secure the display panel to the display enclosure.

13. Remove the cable from the routing path (2) along the bottom of the enclosure, disconnect the display panel cable from the HP logo light cable (3), and then lift the panel from the enclosure (4). The display panel is available using the spare part number 608206-001 for models without WWAN and 613666-001 for models with WWAN.

NOTE: The hinge cover screws are thicker than the other screws.




- **14.** If it is necessary to replace the display cable, follow these steps:
 - **a.** Turn the display panel upside down in front of you.
 - **b.** Disengage the webcam cable from the glue securing it to the back of the display (1).
 - c. Peel back the tape that secures the display cable to the display (2).
 - d. Unplug the display cable from the display (3).
 - **e.** Remove the display cable from the display **(4)**.




The display cable is available in the Display Cable Kit, spare part number 608211-001.

- 15. If it is necessary to replace the display bracket and hinges, remove the two Phillips PM2.5×5.0 screws (1) that secure the brackets to the display.
- **16.** Remove the display hinges **(2)** from the display. The display bracket and hinge set is available using spare part number 608214-001.
- NOTE: Note the WLAN antenna routing path through the right hinge (3).
- NOTE: The silver screws go on the outside of the hinges.



- 17. If it is necessary to replace the wireless antennas and cables, remove the adhesive strip (1) that secures each antenna to the display back cover.
- 18. Remove the antennas from the clips (2) built into the top of the display enclosure.
- 19. Remove the wireless antennas and cables (3) from the display enclosure. The wireless antennas and cables are included in the Display Cable Kit, spare part number 608211-001.



Reverse this procedure to reassemble and install the display assembly.

USB board


Description	Spare part number
USB board (includes cable)	608277-001

Before removing the USB board, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- **4.** Remove the battery (see <u>Battery on page 42</u>).
- 5. Remove the following components:
 - **a.** Hard drive (see <u>Hard drive on page 53</u>)
 - **b.** Optical drive (see Optical drive on page 55)
 - **c.** Keyboard (see <u>Keyboard on page 57</u>)
 - **d.** Top cover (see <u>Top cover on page 59</u>)

Remove the USB board:

- 1. Position the computer upright with the right side toward you.
- 2. Disconnect the USB board cable (1) from the system board.
- 3. Remove the Phillips PM2.5×5.0 screw (2) that secures the USB board to the base enclosure.
- 4. Lift the USB board straight up (3) to remove it from the computer.



Reverse this procedure to install the USB board.



NOTE: When reinstalling note that the screw goes into the upper hole.

Power connector cable

Description	Spare part number
Power connector cable (includes cable and connector)	608273-001


Before removing the power connector cable, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 42</u>).
- **5.** Remove the following components:
 - a. Hard drive (see <u>Hard drive on page 53</u>)
 - **b.** Optical drive (see Optical drive on page 55)
 - c. Keyboard (see Keyboard on page 57)
 - **d.** Top cover (see <u>Top cover on page 59</u>)
 - e. USB board (see USB board on page 71)

Remove the power connector cable:

- 1. Turn the computer upright with the right side toward you.
- 2. Disconnect the power connector cable (1) from the system board.
- 3. Remove the two Phillips PM2.5×5.0 screws (2) that secure the power connector cable to the base enclosure.
- Lift the bracket from the connector (3).

Remove the power connector (4) from the base enclosure.



Reverse this procedure to install the power connector cable.

Bluetooth module

NOTE: The Bluetooth module cable is included in the Misc Cable Kit, spare part number 608227-001.

Description	Spare part number
Bluetooth module	537921-001


Before removing the Bluetooth module, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 42</u>).
- 5. Remove the following components:
 - a. Hard drive (see Hard drive on page 53)
 - **b.** Optical drive (see Optical drive on page 55)
 - c. Keyboard (see Keyboard on page 57)
 - d. Top cover (see Top cover on page 59)

Remove the Bluetooth module:

- 1. Position the computer upright with the front toward you.
- 2. Lift the tape near the system board connector (1) that secures the Bluetooth module cable to the system board.
- 3. Disconnect the cable from the system board (2).

Remove the Bluetooth module and cable from the slot in the base enclosure (3), while noting the cable routing path atop the speaker (4).



Reverse the above procedure to install the Bluetooth module.

Speaker assembly

Description	Spare part number
Speaker assembly	608232-001


Before removing the speaker assembly, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 42</u>).
- 5. Remove the following components:
 - **a.** Optical drive (see Optical drive on page 55)
 - **b.** Keyboard (see Keyboard on page 57)
 - **c.** Top cover (see <u>Top cover on page 59</u>)
 - d. Bluetooth module (see Bluetooth module on page 74).

Remove the speaker assembly:

- 1. Position the computer upright with the front toward you.
- 2. Disconnect the speaker cable from the system board (1).
- 3. Remove the Phillips PM2.0×4.0 screw (2) that secures the speaker assembly to the base enclosure.

Lift the speaker assembly straight up (3) to remove it from the base enclosure.



Reverse this procedure to install the speaker assembly.

System board

NOTE: All system board kits include replacement thermal material.

Description	Spare part number
System board for use in models with 1 GB of HD5450 discrete graphics memory	616244-001
System board for use in models with 512 MB of HD5450 discrete graphics memory	608203-001
System board for use in HM55 models with 512 MB of HD5470 discrete graphics memory	621044-001
System board for use in HM55 models with 1 GB of HD5470 discrete graphics memory	621045-001
System board for use in HM55 models with 512 MB of HD6370 discrete graphics memory	630713-001
System board for use in HM55 models with 1 GB of HD6370 discrete graphics memory	630714-001
System board for use in models with UMA graphics	608204-001
System board for use in HM55 models with WiMAX and UMA graphics	633863-001


When replacing the system board, be sure that the following components are removed from the defective system board and installed on the replacement system board:

- SIM (see <u>SIM on page 43</u>)
- RTC battery (see <u>RTC battery on page 46</u>)
- Memory modules (see <u>Memory module on page 44</u>)
- WLAN module (see <u>WLAN module on page 47</u>)
- WWAN module (see <u>WWAN module on page 51</u>)
- Fan/heat sink assembly (see <u>Fan/heat sink assembly on page 80</u>)
- Processor (see <u>Processor on page 85</u>)

Before removing the system board, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- Remove the battery (see <u>Battery on page 42</u>).
- 5. Remove the following components:
 - a. Hard drive (see <u>Hard drive on page 53</u>)
 - **b.** WLAN module (see <u>WLAN module on page 47</u>)
 - c. WWAN module (see <a href="https://www.www.module.com/www.nodule
 - **d.** Optical drive (see Optical drive on page 55)

- **e.** Keyboard (see <u>Keyboard on page 57</u>)
- **f.** Top cover (see <u>Top cover on page 59</u>)
- **g.** Speaker assembly (see Speaker assembly on page 76)
- **h.** Display assembly (see <u>Display assembly on page 65</u>)
- i. USB board (see USB board on page 71)
- j. Power connector cable (see Power connector cable on page 72)
- 1. Turn the computer upright with the left side toward you.
- 2. Remove the three Phillips PM2.5×5.0 screws (1) that secure the system board to the computer.
- 3. Loosen the captive screw in the fan sink that secures the system board (2).
- 4. Lift the right side of the system board (3).
- 5. Release the system board by sliding it to the right at an angle (4) until the connectors on the left side of the system board clear the base enclosure, and then remove the system board.



Reverse the preceding procedure to install the system board.

Fan/heat sink assembly

1999

NOTE: All fan/heat sink assembly kits include replacement thermal material.

Description	Spare part number
Fan/heat sink assembly for use in models with UMA graphics	608229-001
Fan/heat sink assembly for use in models with discrete graphics	608231-001

NOTE: To properly ventilate the computer, allow at least a **7.6-cm** (3-inch) clearance on the right side and rear panel of the computer. The computer uses an electric fan for ventilation. The fan is controlled by a temperature sensor and is designed to turn on automatically when high temperature conditions exist. These conditions are affected by high external temperatures, system power consumption, power management/battery conservation configurations, battery fast charging, and software requirements. Exhaust air is displaced through the ventilation grill located on the left side of the computer.

Before removing the fan/heat sink assembly, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 42</u>).
- **5.** Remove the following components:
 - a. Hard drive (see Hard drive on page 53)
 - **b.** WLAN module (see WLAN module on page 47)
 - c. WWAN module (see WWAN module on page 51)
 - **d.** Optical drive (see Optical drive on page 55)
 - e. Keyboard (see Keyboard on page 57)
 - **f.** Top cover (see <u>Top cover on page 59</u>)
 - g. Speaker assembly (see Speaker assembly on page 76)
 - h. Power connector cable (see Power connector cable on page 72)
 - i. USB board (see <u>USB board on page 71</u>).
 - j. Display assembly (see <u>Display assembly on page 65</u>)
 - **k.** System board (see System board on page 78)

Remove the fan/heat assembly (fan/heat sink appearance may vary):


NOTE: Steps 1 through 4 apply to computers with discrete subsystem memory on the system board. Steps 5 through 7 apply to computers with UMA subsystem memory.

- 1. Turn the system board upside down.
- 2. Disconnect the fan cable from the system board.




- 3. Follow the sequence embossed on heat sink to loosen the six Phillips PM2.5×7.0 captive screws (1) that secure the fan/heat sink assembly to the system board.
- NOTE: Due to the adhesive quality of the thermal material located between the fan/heat sink assembly and system board components, it may be necessary to move the fan/heat sink assembly from side to side to detach the assembly.

4. Remove the fan/heat sink assembly (2).




The thermal material must be thoroughly cleaned from the surfaces of the fan/heat sink assembly (1), (3) and the processor (2) and graphics processor (3) on the system board each time the fan/heat sink assembly is removed. Thermal pads and thermal paste must be installed on all surfaces before the fan/heat sink assembly is reinstalled.

The following illustration shows the locations for thermal material on systems with discrete graphics subsystems.




NOTE: Steps 5 through 7 apply to computers with UMA subsystem memory on the system board. Steps 1 through 4 apply to computers with discrete subsystem memory.

5. Disconnect the fan cable from the system board.



- 6. Follow the sequence embossed on heat sink to loosen the four Phillips PM2.5×7.0 captive screws (1) that secure the fan/heat sink assembly to the system board.
- NOTE: Due to the adhesive quality of the thermal material located between the fan/heat sink assembly and system board components, it may be necessary to move the fan/heat sink assembly from side to side to detach the assembly.


7. Remove the fan/heat sink assembly (2).



The thermal material must be thoroughly cleaned from the surface of the processor component (1) and the fan/heat sink assembly (2) each time the fan/heat sink assembly is removed. Thermal pads and thermal paste must be installed on all surfaces before the fan/heat sink assembly is reinstalled.

NOTE: Thermal pads and thermal paste are included with all fan/heat sink assembly, system board, and processor spare part kits.

The following illustration shows the locations for thermal material on systems with UMA graphics subsystems.



Reverse this procedure to install the fan/heat sink assembly.

Processor

NOTE: All processor spare part kits include thermal material.

Description	Spare part number
Intel Core i7 640M Dual Core processor, 2.80-GHz (SC turbo up to 3.33-GHz), 4-Mb L3 cache)	625286-001
Intel Core i7 620M Dual Core processor, 2.26-GHz (SC turbo up to 3.33-GHz), 4-Mb L3 cache)	587259-001
Intel Core i5 580M Dual Core processor, 2.66-GHz (SC turbo up to 3.33-GHz), 3-MB L3 cache	625825-001
Intel Core i5 560M Dual Core processor, 2.66-GHz (SC turbo up to 3.2-GHz), 3-MB L3 cache	625824-001
Intel Core i5 540M Dual Core processor, 2.53-GHz, (SC turbo up to 3.60-GHz), 3-MB L3 cache)	594188-001
Intel Core i5 520M Dual Core processor, 2.40-GHz (SC turbo up to 2.93-GHz), 3-MB L3 cache)	594187-001
Intel Core i5 480M Dual Core processor, 2.66-GHz, 3-MB L3 cache	634693-001
Intel Core i5 460M Dual Core processor, 2.53-GHz, 3-MB L3 cache	626039-001
Intel Core i5 450M Dual Core processor, 2.40-GHz, 3-MB L3 cache	613585-001
Intel Core i5 430M Dual Core processor, 2.26-GHz, 3-MB L3 cache	597624-001


Before removing the processor, follow these steps:

- 1. Shut down the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.
- 2. Disconnect all external devices connected to the computer.
- 3. Disconnect the power from the computer by first unplugging the power cord from the AC outlet and then unplugging the AC adapter from the computer.
- 4. Remove the battery (see <u>Battery on page 42</u>).
- 5. Remove the following components:
 - **a.** Hard drive (see Hard drive on page 53)
 - **b.** WLAN module (see <u>WLAN module on page 47</u>)
 - c. WWAN module (see WWAN module on page 51)
 - d. Optical drive (see Optical drive on page 55)
 - e. Keyboard (see Keyboard on page 57)
 - **f.** Top cover (see <u>Top cover on page 59</u>)
 - g. Speaker assembly (see Speaker assembly on page 76)
 - h. Power connector cable (see Power connector cable on page 72)
 - i. USB board (see USB board on page 71)
 - j. Display assembly (see <u>Display assembly on page 65</u>)

- **k.** System board (see System board on page 78)
- I. Fan/heat sink assembly (see Fan/heat sink assembly on page 80)

Remove the processor:

- 1. Turn the processor locking screw (1) one-half turn counterclockwise until you hear a click.
- 2. Lift the processor (2) straight up and remove it.
- NOTE: The gold triangle (3) on the processor must be aligned with the triangle icon (4) embossed on the processor socket when you install the processor.



Reverse this procedure to install the processor.

5 Setup Utility

Starting Setup Utility

Setup Utility is a ROM-based information and customization utility that can be used even when your Windows operating system is not working.



The fingerprint reader cannot be used to access Setup Utility.

The utility reports information about the computer and provides settings for startup, security, and other preferences.

To start Setup Utility:

△ Open Setup Utility by turning on or restarting the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press f10.

- or -

- Open Setup Utility by turning on or restarting the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press esc.
- 2. When the Startup Menu is displayed, press f10.

Using Setup Utility

Changing the language of Setup Utility

The following procedure explains how to change the language of Setup Utility. If Setup Utility is not already running, begin at step 1. If Setup Utility is already running, begin at step 2.

1. Open Setup Utility by turning on or restarting the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press f10.

– or –

Open Setup Utility by turning on or restarting the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press esc. When the Startup Menu is displayed, press f10.

- 2. Use the arrow keys to select **System Configuration > Language**, and then press enter.
- Use the arrow keys to select a language, and then press enter.

- 4. When a confirmation prompt with your language selected is displayed, press enter.
- 5. To save your change and exit Setup Utility, use the arrow keys to select **Exit > Exit Saving Changes**, and then press enter.

Your change goes into effect immediately.

Navigating and selecting in Setup Utility

Because Setup Utility is not Windows based, it does not support the TouchPad. Navigation and selection are by keystroke.

- To choose a menu or a menu item, use the arrow keys.
- To choose an item in a list or to toggle a field, for example an Enable/Disable field, use either the arrow keys or f5 or f6.
- To select an item, press enter.
- To close a text box or return to the menu display, press esc.
- To display additional navigation and selection information while Setup Utility is open, press f1.

Displaying system information

The following procedure explains how to display system information in Setup Utility. If Setup Utility is not open, begin at step 1. If Setup Utility is open, begin at step 2.

1. Open Setup Utility by turning on or restarting the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press f10.

– or –

Open Setup Utility by turning on or restarting the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press esc. When the Startup Menu is displayed, press f10.

- 2. Select the **Main** menu. System information such as the system time and date, and identification information about the computer is displayed.
- To exit Setup Utility without changing any settings, use the arrow keys to select Exit > Exit
 Discarding Changes, and then press enter.

Restoring default settings in Setup Utility

The following procedure explains how to restore the Setup Utility default settings. If Setup Utility is not already running, begin at step 1. If Setup Utility is already running, begin at step 2.

1. Open Setup Utility by turning on or restarting the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press f10.

– or –

Open Setup Utility by turning on or restarting the computer. While the "Press the ESC key for Startup Menu" message is displayed in the lower-left corner of the screen, press esc. When the Startup Menu is displayed, press f10.

2. Use the arrow keys to select **Exit > Load Setup Defaults**, and then press enter.

- 3. When the Setup Confirmation is displayed, press enter.
- 4. To save your change and exit Setup Utility, use the arrow keys to select **Exit > Exit Saving Changes**, and then press enter.

The Setup Utility default settings go into effect when the computer restarts.

NOTE: Your password, security, and language settings are not changed when you restore the factory default settings.

Exiting Setup Utility

You can exit Setup Utility with or without saving changes.

- To exit Setup Utility and save your changes from the current session:
 - If the Setup Utility menus are not visible, press esc to return to the menu display. Then, use the arrow keys to select **Exit > Exit Saving Changes**, and then press enter.
- To exit Setup Utility without saving your changes from the current session:
 - If the Setup Utility menus are not visible, press esc to return to the menu display. Then, use the arrow keys to select **Exit > Exit Discarding Changes**, and then press enter.

After either choice, the computer restarts in Windows.

Setup Utility menus

The menu tables in this section provide an overview of Setup Utility options.

NOTE: Some of the Setup Utility menu items listed in this chapter may not be supported by your computer.

Main menu

Select	То	To do this	
System information	•	View and change the system time and date.	
	•	View identification information about the computer.	
	•	View specification information about the processor, memory size, system BIOS, and keyboard controller version (select models only).	

Security menu

Select	To do this	
Administrator password	Enter, change, or delete an administrator password.	
Power-On Password	Enter, change, or delete a power-on password.	

System Configuration menu

Select	To do this
Language Support	Change the Setup Utility language.
Button Sound (select models only)	Enable/disable the capacitive button tapping sound.
Virtualization Technology (select models only)	Enable/disable the processor Virtualization Technology.
Processor C6 State (select models only)	Enable/disable the processor C6 sleep state.
LAN Power Saving (select models only)	Enable/disable LAN Power Saving. When enabled, saves power when the computer is in DC mode.
Card Reader/1394 Power Saving (select models only)	Enable/disable Card Reader/1394 Power Saving.

Select	To do this	
Fan Always On	Enable/disable Fan Always On. When enabled, the computer fan will always be on.	
Boot Options	Set the following boot options:	
	 f10 and f12 Delay (seconds)—Set the delay for the f10 and f12 functions of Setup Utility in intervals of 5 seconds each (0, 5, 10, 15, 20). 	
	 CD-ROM boot—Enable/disable boot from CD-ROM. 	
	 Floppy boot—Enable/disable boot from diskette. 	
	 Internal Network Adapter boot—Enable/disable boot from Internal Network Adapter. 	
	Boot Order—Set the boot order for:	
	Hard drive	
	∘ Internal CD/DVD ROM drive	
	 USB Diskette on Key/USB hard disk 	
	 USB CD/DVD ROM drive 	
	∘ USB floppy	
	 Network adapter 	

Diagnostics menu

Select	To do this	
Hard Disk Self Test	Run a comprehensive self test on the hard drive.	
	NOTE: On models with two hard drives, this menu option is called Primary Hard Disk Self Test .	
Secondary Hard Disk Self Test (select models only)	Run a comprehensive self test on a secondary hard drive.	
Memory Test	Run a diagnostic test on the system memory.	

6 Specifications

Computer specifications

Depth	22.8 cm (8.98 in)	
Width	34.8 cm (13.70 in)	
Height (front to rear)	2.5 to 3.2 cm (0.98 to 1.26 in)	
Weight (lowest weight configuration)	< 2.00 kg (4.42 lbs)	
nput power		
Operating voltage	18.5 V dc @ 4.74 A – 90 W	
Operating current	4.74 A	
Temperature		
Operating (not writing to optical disc)	0°C to 35°C (32°F to 95°F)	
Operating (writing to optical disc)	5°C to 35°C (41°F to 95°F)	
lonoperating	-20°C to 60°C (-4°F to 140°F)	
Relative humidity		
Operating	10% to 90%	
Nonoperating	5% to 95%	
Maximum altitude (unpressurized)		
Operating	-15 m to 3,048 m (-50 ft to 10,000 ft)	
Nonoperating	-15 m to 12,192 m (-50 ft to 40,000 ft)	

NOTE: Applicable product safety standards specify thermal limits for plastic surfaces. The computer operates well within this range of temperatures.

35.56-cm (14.0-in) display specifications

Dimensions	
Active diagonal size	35.56 cm (14.00 in)
Active area	309.399 x 173.952
Resolution	1366 × 768 (HD)
Weight	320 g (0.71 lbs)
Contrast ratio	500:1 (typical)
Luminance	200 nits (typical)
Luminance uniformity	1.4 (typical)
	1.6 (max)
Lifetime (1/2 luminance)	12,000 hours
Backlight	LED
Response time	8 ms (typical)
Surface treatment	BV
Total power consumption	2.8 W
Viewing angle	SVA

Hard drive specifications

	750-GB*	640-GB*	500-GB*	320-GB*
Dimensions				
Height	9.5 mm			
Width	70 mm			
Weight	101 g			
Interface type	SATA			
Transfer rate	100 MB/sec			
Security	ATA security			
Seek times (typical read, including setting)				
Single track	1.0 ms	1.0 ms	1.0 ms	1.5 ms
Average	14.0 ms	14.0 ms	14.0 ms	12.0 ms
Maximum	22.0 ms	22.0 ms	22.0 ms	22.0 ms
Logical blocks	1,465,149,168	1,250,263,728	976,773,168	625,142,448
Disc rotational speed	7200 rpm	7200 rpm	7200 rpm	7200 rpm
Operating temperature	5°C to 55°C (41°F to 131°F)			

^{*1} GB = 1 billion bytes when referring to hard drive storage capacity. Actual accessible capacity is less. Actual drive specifications may differ slightly.

NOTE: Certain restrictions and exclusions apply. Contact technical support for details.

DVD±RW SuperMulti Double-Layer Drive specifications

Applicable disc	
Read	CD-DA, CD+(E)G, CD-MIDI, CD-TEXT, CD-ROM, CD-ROM XA, MIXED MODE CD, CD-I, CD-I Bridge (Photo-CD, Video CD), Multisession CD (Photo-CD, CD-EXTRA, Portfolio, CD-R, CD-RW), CD-R, CD-RW, DVD-ROM (DVD-5, DVD-9, DVD-10, DVD-18), DVD-R, DVD-RW, DVD+R, DVD+RW, DVD-RAM
Write	CD-R and CD-RW, DVD+R, DVD+RW, DVD-R, DVD-RW, DVD-RAM
Random access time	
DVD	< 230 ms
CD	< 175 ms
Cache buffer	2 MB
Data transfer rate	
24X CD-ROM	3,600 KB/sec
8X DVD-ROM	10,800 KB/sec
24X CD-R	3,600 KB/sec
16X CD-RW	2,400 KB/sec
8X DVD+R	10,800 KB/sec
4X DVD+RW	5,400 KB/sec
8X DVD-R	10,800 KB/sec
4X DVD-RW	5,400 KB/sec
2.4X DVD+R(9)	2,700 KB/sec
5X DVD-RAM	6,750 KB/sec
Transfer mode	Multiword DMA Mode

System resource specifications

You can use Device Manager to get a graphical view of the system resources that control how the devices work on the computer. System resources you can access from Device Manager are direct memory access (DMA) channels, input/output (I/O) ports, interrupt request (IRQ) lines, and memory addresses.

If two devices require the same resource and create a device conflict, you can manually change the resource settings in Device Manager to be sure each setting is unique.

To view resource settings in Windows 7:

- Select Start > Computer.
- 2. Click **System properties** near the top of the Computer folder.
- 3. On the left, click **Device Manager**.
- 4. On the View menu, click one of the following:
 - Resources by type
 - Resources by connection

7 Backup and recovery

Recovery after a system failure is as complete as your most current backup. HP recommends that you create recovery discs immediately after software setup. As you add new software and data files, you should continue to back up your system on a regular basis to maintain a reasonably current backup.

Tools provided by the operating system and HP Recovery Manager software are designed to help you with the following tasks for safeguarding your information and restoring it in case of a system failure:

- Creating a set of recovery discs (Recovery Manager software feature). Recovery discs are used
 to start up (boot) your computer and restore the operating system and software programs to
 factory settings in case of system failure or instability.
- Backing up your information regularly to protect your important system files.
- Creating system restore points (operating system feature). System restore points allow you to reverse undesirable changes to your computer by restoring the computer to an earlier state.
- Recovering a program or driver (Recovery Manager software feature). This feature helps you
 reinstall a program or driver without performing a full system recovery.
- Performing a full system recovery (Recovery Manager software feature). With Recovery
 Manager, you can recover your full factory image if you experience system failure or instability.
 Recovery Manager works from a dedicated recovery partition (select models only) on the hard
 drive or from recovery discs you create.
- NOTE: Computers with a solid-state drive (SSD) may not have a recovery partition. Recovery discs have been included for computers that do not have a partition. Use these discs to recover your operating system and software. To check for the presence of a recovery partition, select Start, right-click Computer, click Manage, and then click Disk Management. If the partition is present, an HP Recovery drive is listed in the window.

Creating recovery discs

HP recommends that you create recovery discs to be sure that you can restore your system to its original factory state if you experience serious system failure or instability. Create these discs after setting up the computer for the first time.

Handle these discs carefully and keep them in a safe place. The software allows the creation of only one set of recovery discs.

NOTE: You can use an optional external optical drive (purchased separately) to create recovery discs, or you can purchase recovery discs for your computer from the HP Web site.

Note the following guidelines before creating recovery discs:

- NOTE: The external hard drive must be connected to a USB port on the computer, not to a USB port on an external device such as a hub.
 - You will need high-quality DVD-R, DVD+R, BD-R (writable Blu-ray), or CD-R discs. All these discs are purchased separately. DVDs and BDs have a much higher capacity than CDs. If you use CDs, up to 20 discs may be required, whereas only a few DVDs or BDs are required.
 - NOTE: Read-write discs, such as CD-RW, DVD±RW, double-layer DVD±R, and BD-RE (rewritable Blu-ray) discs, are not compatible with the Recovery Manager software.
 - The computer must be connected to AC power during this process.
 - Only one set of recovery discs can be created per computer.
 - Number each disc before inserting it into the optical drive.
 - If necessary, you can exit the program before you have finished creating the recovery discs. The next time you open Recovery Manager, you will be prompted to continue the disc creation process.

To create a set of recovery discs:

- Select Start > All Programs > Recovery Manager > Recovery Disk Creation.
- Follow the on-screen instructions.

Backing up your information

As you add new software and data files, you should back up your system on a regular basis to maintain a reasonably current backup. Back up your system at the following times:

At regularly scheduled times

NOTE: Set reminders to back up your information periodically.

- Before the computer is repaired or restored
- Before you add or modify hardware or software

Note the following when backing up:

- Create system restore points using the Windows® System Restore feature, and periodically copy them to disc.
- Store personal files in the Documents library and back up this folder periodically.
- Back up templates stored in their associated programs.
- Save customized settings in a window, toolbar, or menu bar by taking a screen shot of your settings. The screen shot can be a time-saver if you have to reset your preferences.

To copy the screen and paste it into a word-processing document, follow these steps:

- **1.** Display the screen.
- 2. Copy the screen:

To copy only the active window, press alt+prt sc.

To copy the entire screen, press prt sc.

- 3. Open a word-processing document, and then select **Edit > Paste**.
- **4.** Save the document.
- You can back up your information to an optional external hard drive, a network drive, or discs.
- When backing up to discs, use any of the following types of discs (purchased separately): CD-R, CD-RW, DVD+R, DVD-R, or DVD±RW. The discs you use will depend on the type of optical drive installed in your computer.
- NOTE: DVDs store more information than CDs, so using them for backup reduces the number of recovery discs required.
- When backing up to discs, number each disc before inserting it into the optical drive of the computer.

Using Windows Backup and Restore

To create a backup using Windows Backup and Restore, follow these steps:

NOTE: Be sure that the computer is connected to AC power before you start the backup process.

NOTE: The backup process may take over an hour, depending on file size and the speed of the computer.

- Select Start > All Programs > Maintenance > Backup and Restore. 1.
- Follow the on-screen instructions to set up and create a backup.

NOTE: Windows includes the User Account Control feature to improve the security of your computer. You may be prompted for your permission or password for tasks such as installing software, running utilities, or changing Windows settings. Refer to Help and Support for more information.

Using system restore points

When you back up your system, you are creating a system restore point. A system restore point allows you to save and name a snapshot of your hard drive at a specific point in time. You can then recover back to that point if you want to reverse subsequent changes made to your system.

NOTE: Recovering to an earlier restore point does not affect data files saved or e-mails created since the last restore point.

You also can create additional restore points to provide increased protection for your system files and settings.

When to create restore points

- Before you add or extensively modify software or hardware
- Periodically, whenever the system is performing optimally

NOTE: If you revert to a restore point and then change your mind, you can reverse the restoration.

Create a system restore point

- Select Start > Control Panel > System and Security > System.
- 2. In the left pane, click **System Protection**.
- 3. Click the **System Protection** tab.
- Under Protection Settings, select the disk for which you want to create a restore point.
- 5. Click Create.
- Follow the on-screen instructions.

Restore to a previous date and time

To revert to a restore point (created at a previous date and time), when the computer was functioning optimally, follow these steps:

- Select Start > Control Panel > System and Security > System.
- In the left pane, click **System protection**. 2.
- Click the **System Protection** tab.
- Click System Restore.
- Follow the on-screen instructions.

Performing a recovery

NOTE: You can recover only files that you have previously backed up. HP recommends that you use HP Recovery Manager to create a set of recovery discs (entire drive backup) as soon as you set up your computer.

Recovery Manager software allows you to repair or restore the system if you experience system failure or instability. Recovery Manager works from recovery discs or from a dedicated recovery partition (select models only) on the hard drive. However, if your computer includes a solid-state drive (SSD), you may not have a recovery partition. If that is the case, recovery discs have been included with your computer. Use these discs to recover your operating system and software.

- NOTE: Windows has its own built-in repair features, such as System Restore. If you have not already tried these features, try them before using Recovery Manager.
- NOTE: Recovery Manager recovers only software that was preinstalled at the factory. Software not provided with this computer must be downloaded from the manufacturer's Web site or reinstalled from the disc provided by the manufacturer.

Recovering from the recovery discs

To restore the system from the recovery discs:

- Back up all personal files.
- Insert the first recovery disc into the optical drive and restart the computer. 2.
- Follow the on-screen instructions.

Recovering from the dedicated recovery partition (select models only)

NOTE: Computers with an SSD may not have a recovery partition. If the computer does not have a recovery partition, you will not be able to recover using this procedure. Recovery discs have been included for computers that do not have a partition. Use these discs to recover your operating system and software.

On some models, you can perform a recovery from the partition on the hard drive, accessed by pressing either the Start button or f11. This restores the computer to its factory condition.

To restore the system from the partition, follow these steps:


- 1. Access Recovery Manager in either of the following ways:
 - Select Start > All Programs > Recovery Manager > Recovery Manager.

– or –

- Turn on or restart the computer, and then press esc while the "Press the ESC key for Startup Menu" message is displayed at the bottom of the screen. Then, press f11 while the "Press <F11> for recovery" message is displayed on the screen.
- 2. Click System Recovery in the Recovery Manager window.
- Follow the on-screen instructions.


Connector pin assignments 8

Audio-out (headphone)




Pin	Signal		
1	Audio out, left channel		
2	Audio out, right channel		
3	Ground		

Audio-in (microphone)




Pin	Signal
1	Audio signal in
2	Audio signal in
3	Ground

External monitor




Pin	Signal	
1	Red analog	
2	Green analog	
3	Blue analog	
4	Not connected	
5	Ground	
6	Ground analog	
7	Ground analog	
8	Ground analog	
9	+5 VDC	
10	Ground	
11	Monitor detect	
12	DDC 2B data	
13	Horizontal sync	
14	Vertical sync	
15	DDC 2B clock	

RJ-45 (network)




Pin	Signal
1	Transmit +
2	Transmit -
3	Receive +
4	Unused
5	Unused
6	Receive -
7	Unused
8	Unused

HDMI



Pin	Signal			
1	TMDS data 2+			
2	TMDS data 2 shield			
3	TMDS data 2–			
4	TMDS data 1+			
5	TMDS data 1shield			
6	TMDS data 1–			
7	TMDS data 0+			
8	TMDS data 0 shield			
9	TMDS data 0-			
10	TMDS clock+			
11	TMDS clock shield			
12	TMDS clock-			
13	CEC			
14	No connect			
15	DDC clock			
16	DDC data			
17	Ground			
18	+5V power			
19	Hot plug detect			
20	Shell			

Universal Serial Bus



Pin	Signal
1	+5 VDC
2	Data -
3	Data +
4	Ground

Power cord set requirements

The wide range input feature of the computer permits it to operate from any line voltage from 100 to 120 volts AC or from 220 to 240 volts AC.

The 3-conductor power cord set included with the computer meets the requirements for use in the country or region where the equipment is purchased.

Power cord sets for use in other countries or regions must meet the requirements of the country or region where the computer is used.

Requirements for all countries or regions

The requirements listed below are applicable to all countries or regions:

- The length of the power cord set must be at least 1.5 m (5.0 ft) and no more than 2.0 m (6.5 ft).
- All power cord sets must be approved by an acceptable accredited agency responsible for evaluation in the country or region where the power cord set will be used.
- The power cord sets must have a minimum current capacity of 10 amps and a nominal voltage rating of 125 or 250 V AC, as required by each country or region's power system.
- The appliance coupler must meet the mechanical configuration of an EN 60 320/IEC 320 Standard Sheet C13 connector for mating with the appliance inlet on the back of the computer.

Requirements for specific countries or regions

Country/region	Accredited agency	Applicable note number
Australia	EANSW	1
Austria	OVE	1
Belgium	CEBC	1
Canada	CSA	2
Denmark	DEMKO	1
Finland	FIMKO	1
France	UTE	1
Germany	VDE	1
Italy	IMQ	1
Japan	METI	3
The Netherlands	KEMA	1
Norway	NEMKO	1
The People's Republic of China	CCC	5
South Korea	EK	4
Sweden	SEMKO	1
Switzerland	SEV	1
Taiwan	BSMI	4
The United Kingdom	BSI	1
The United States	UL	2

- 1. The flexible cord must be Type HO5VV-F, 3-conductor, 1.0-mm² conductor size. Power cord set fittings (appliance coupler and wall plug) must bear the certification mark of the agency responsible for evaluation in the country or region where it will be used.
- 2. The flexible cord must be Type SPT-3 or equivalent, No. 18 AWG, 3-conductor. The wall plug must be a two-pole grounding type with a NEMA 5-15P (15 A, 125 V) or NEMA 6-15P (15 A, 250 V) configuration.
- 3. The appliance coupler, flexible cord, and wall plug must bear a "T" mark and registration number in accordance with the Japanese Dentori Law. The flexible cord must be Type VCT or VCTF, 3-conductor, 1.00-mm² conductor size. The wall plug must be a two-pole grounding type with a Japanese Industrial Standard C8303 (7 A, 125 V) configuration.
- 4. The flexible cord must be Type RVV, 3-conductor, 0.75-mm² conductor size. Power cord set fittings (appliance coupler and wall plug) must bear the certification mark of the agency responsible for evaluation in the country or region where it will be used.
- 5. The flexible cord must be Type VCTF, 3-conductor, 0.75-mm² conductor size. Power cord set fittings (appliance coupler and wall plug) must bear the certification mark of the agency responsible for evaluation in the country or region where it will be used.

10 Recycling

Battery

When a battery has reached the end of its useful life, do not dispose of the battery in general household waste. Follow the local laws and regulations in your area for computer battery disposal.

Display

- NARNING! The backlight contains mercury. Exercise caution when removing and handling the backlight to avoid damaging this component and causing exposure to the mercury.
- A CAUTION: The procedures in this chapter can result in damage to display components. The only components intended for recycling purposes are the liquid crystal display (LCD) panel and the backlight. When you remove these components, handle them carefully.
- NOTE: Materials Disposal. This HP product contains mercury in the backlight in the display assembly that might require special handling at end-of-life. Disposal of mercury may be regulated because of environmental considerations. For disposal or recycling information, contact your local authorities, or see the Electronic Industries Alliance (EIA) Web site at http://www.eiae.org.


This section provides disassembly instructions for the display assembly. The display assembly must be disassembled to gain access to the backlight (1) and the liquid crystal display (LCD) panel (2).




NOTE: The procedures provided in this chapter are general disassembly instructions. Specific details, such as screw sizes, quantities, and locations, and component shapes and sizes, can vary from one computer model to another.

Perform the following steps to disassemble the display assembly:


1. Remove all screw covers (1) and screws (2) that secure the display bezel to the display assembly.




- 2. Lift up and out on the left and right inside edges (1) and the top and bottom inside edges (2) of the display bezel until the bezel disengages from the display assembly.
- 3. Remove the display bezel (3).




Disconnect all display panel cables (1) from the display inverter and remove the inverter (2).



- Remove all screws (1) that secure the display panel assembly to the display enclosure. **5**.
- Remove the display panel assembly (2) from the display enclosure.




- Turn the display panel assembly upside-down. 7.
- 8. Remove all screws that secure the display panel frame to the display panel.




Use a sharp-edged tool to cut the tape (1) that secures the sides of the display panel to the display panel frame.

10. Remove the display panel frame **(2)** from the display panel.




- **11.** Remove the screws **(1)** that secure the backlight cover to the display panel.
- 12. Lift the top edge of the backlight cover (2) and swing it outward.




- **13.** Remove the backlight cover.
- 14. Turn the display panel right-side up.


15. Remove the backlight cables (1) from the clip (2) in the display panel.




- 16. Turn the display panel upside-down.
- WARNING! The backlight contains mercury. Exercise caution when removing and handling the backlight to avoid damaging this component and causing exposure to the mercury.
- 17. Remove the backlight frame from the display panel.




18. Remove the backlight from the backlight frame.



- **19.** Disconnect the display panel cable **(1)** from the LCD panel.
- **20.** Remove the screws **(2)** that secure the LCD panel to the display rear panel.
- **21.** Release the LCD panel **(3)** from the display rear panel.
- 22. Release the tape (4) that secures the LCD panel to the display rear panel.



23. Remove the LCD panel.



24. Recycle the LCD panel and backlight.

Index

Symbols/Numerics	bezel	computer feet
1394 Power Saving 90	illustrated 25	locations 41
	spare part number 25, 68	spare part number 41
A	Bluetooth cable, spare part	computer specifications 92
AC adapter	number 20, 33, 74	connector pin assignments
identifying 16	Bluetooth module	audio-in 103
spare part numbers 28	removal 74	audio-out 103
action keys, identifying 9	spare part number 20, 74	external monitor 104
administrator password 90	spare part numbers 29	HDMI 106
antennas 15	boot options 91	headphone 103
applications key, Windows 9	boot order 91	microphone 103
audio, product description 3	button sound 90	monitor 104
audio-in (microphone) jack	buttons	network 105
identifying 11	left TouchPad 6	RJ-45 105
pin assignments 103	power 8	USB 107
audio-out (headphone) jack	right TouchPad 6	connectors, service
identifying 11	TouchPad, on/off button 6	considerations 36
pin assignments 103		cord, power 16
	C	
В	cables, service considerations 36	D
backing up 99	camera module	default settings, restoring 88
customized window, toolbar,	removal 68	Diagnostics menu 91
and menu bar settings 99	spare part number 68	Digital Media Slot, identifying 10
personal files 99	camera, product description 2	diskette drive
templates 99	caps lock light, identifying 7	precautions 36
base enclosure, spare part	Card Reader Power Saving 90	display assembly
number 24, 33	compartments	removal 65
battery	memory module 14	spare part number 19, 65
removal 42	wireless module 14	spare part numbers 32, 34
spare part numbers 24, 34, 42	components	display back cover, spare part
battery bay 14	additional hardware 16	number 26
battery light 11	bottom 14	display bezel
battery release latch 14	display 13	illustrated 25
battery, identifying 16	front 5, 10	spare part number 25, 68
bays	left-side 11	display bezel, spare part number
battery 14	right-side 10	32
hard drive 14	top 6	display bracket and hinge removal 70
		spare part number 70

display bracket, spare part	fan/heat sink assembly	J
number 33	removal 80	jacks
Display Cable Kit	spare part number 20, 80	audio-in (microphone) 11
spare part number 69	feet	audio-out (headphone) 11
Display Cable Kit, spare part	locations 41	RJ-45 (network) 12
number 33	spare part number 41	rio io (notwont)
display component recycling 110	• •	K
	fingerprint reader board	
display components	removal 62	keyboard
illustrated 25	spare part number 19, 33, 62	product description 3
spare part numbers 25	fingerprint reader light,	removal 57
display enclosure	identifying 7	spare part numbers 19, 33, 57
illustrated 25	fingerprint reader, identifying 8	keys
spare part number 25, 32	fn key, identifying 9	action 9
display hinge cover, spare part	front components 5	esc 9
number 32	full system recovery 97	fn 9
display hinge kit, spare part	,	Windows applications 9
number 26	G	Windows logo 9
display panel	graphics, product description 1	3.5.1.0
illustrated 25	grounding equipment and	L
product description 2	methods 39	LAN Power Saving 90
removal 69	methods 55	language support 90
	н	latch, battery release 14
spare part number 69	hard drive	left TouchPad button, identifying
Display Screw Kit, spare part		, ,
number 26, 33	identifying 14	6
display specifications 93	precautions 36	lights
drive light 11	product description 2	battery 11
drives	removal 53	caps lock 7
boot order 91	spare part numbers 24, 27,	drive 11
preventing damage 36	34, 53	fingerprint reader 7
DVD±RW SuperMulti DL Drive	specifications 94	mute 7
removal 55	hard drive cable, spare part	power 7, 12
spare part number 33	number 24, 27, 33, 53	RJ-45 (network) 12
spare part numbers 24, 27	hard drive cover	TouchPad 7
specifications 95	illustrated 26	webcam 13
	removal 53	wireless 7
E	hard drive self test 91	
electrostatic discharge 37	HDMI port, pin assignments 106	M
eSATA/USB combo port,	headphone (audio-out) jack 11	Main menu 90
identifying 12	headphone jack, pin	mass storage devices, spare part
esc key, identifying 9	assignments 103	numbers 27
	heat sink, spare part numbers 33	memory module
Ethernet, product description 3	neat sink, spare part numbers 33	product description 2
external media cards, product	1	removal 44
description 3	integrated websern light	
external monitor port	integrated webcam light,	spare part numbers 24, 31, 44
identifying 11	identifying 13	memory module compartment,
pin assignments 104	internal display switch,	identifying 14
_	identifying 13	memory test 91
F	internal microphone, identifying	microphone (audio-in) jack 11
f11 101, 102	13	microphone jack, pin
fan always on 91		assignments 103

microphone, product description	power cord	restore points 100
2	identifying 16	right TouchPad button,
mini-card compartment cover,	spare part numbers 28, 29	identifying 6
illustrated 26	power cord set requirements 108	RJ-45 (network) jack
Misc Cable Kit, spare part	power light, identifying 7, 12	identifying 12
number 33	power requirements, product	pin assignments 105
model name 1	description 4	RJ-45 (network) lights,
monitor port, pin assignments	power-on password 90	identifying 12
104	processor	RTC battery
mute light, identifying 7	product description 1	removal 46
mate light, lacintlying 7	removal 85	spare part number 28, 46
N	spare part numbers 20, 30,	RTC battery, spare part number
network jack	31, 34, 85	29
identifying 12		
	Processor C6 State 90	rubber feet
pin assignments 105	product description	spare part number 33
0	audio 3	Rubber Feet Kit, spare part
	camera 2	number 41
operating system, product	display panel 2	
description 4	Ethernet 3	S
optical drive 10	external media cards 3	Screw Kit, spare part number 33
precautions 36	graphics 1	secondary hard drive self test 91
product description 2	hard drives 2	security cable slot 11
removal 55	keyboard 3	Security menu 90
spare part numbers 24, 27, 55	memory module 2	security, product description 4
specifications 95	microphone 2	serial number 17, 40
	operating system 4	service considerations 35
P	optical drives 2	serviceability, product
packing guidelines 38	pointing devices 3	description 4
passwords 90	ports 3	Setup Utility
performing a recovery 101	power requirements 4	changing the language 87
plastic parts 35	processors 1	displaying system information
Plastics Kit	product name 1	88
spare part number 33	security 4	exiting 89
Plastics kit	serviceability 4	menus 90
contents 26	wireless 3	navigating 88
spare part number 26	product name 1	restoring default settings 88
pointing device, product	product name 1	selecting 88
description 3	R	starting 87
ports	recovering	SIM, removal 43
eSATA/USB 12	a program or driver 97	solid-state drive (SSD) 97, 101
product description 3		
USB 10	from the dedicated recovery	speaker assembly
power button board	partition 101	removal 76
removal 64	from the recovery discs 101	spare part number 19, 76
spare part number 19, 33, 64	recovery discs 97, 98	spare part numbers 33
•	Recovery Manager 97, 101	speakers 10
power button, identifying 8	recovery partition 97	specifications
power connector cable	recovery, system 101	computer 92
removal 72	removal/replacement	display 93
spare part number 19, 34, 72	preliminaries 35	hard drive 94
power connector, identifying 11	procedures 40	

optical drive 95 Windows applications key, system resources 96 identifying 9 static-shielding materials 39 Windows logo key, identifying 9 supported discs 98 wireless antenna, removal 70 system board wireless antennas 15 removal 78 wireless antennas and cables removal 70 spare part numbers 19, 32, 34, 78 spare part number 70 System Configuration menu 90 wireless light 7 system failure or instability 97 wireless module compartment, system information, displaying identifying 14 88, 90 wireless, product description 3 system recovery 101 wireless/memory module system resources 96 compartment cover system restore points 97, 100 removal 44 spare part number 44 WLAN antenna, identifying 15 thermal module, spare part WLAN module number 20, 33 removal 47 thermal paste, replacement 82, spare part numbers 20, 29, 31, 32, 34, 47 tools required 35 workstation guidelines 38 top cover WWAN antenna, identifying 15 removal 59 WWAN module spare part number 19, 33, 59 removal 51 TouchPad buttons 6 spare part number 20, 51 TouchPad light, identifying 7 spare part numbers 29 TouchPad on/off button, identifying 6 TouchPad zone, identifying 6 transporting guidelines 38 USB board removal 71 spare part number 19, 34, 71 **USB** ports identifying 10 pin assignments 107 using system restore 100 V vents, identifying 14 Virtualization Technology 90 webcam module removal 68 spare part number 25, 34, 68 webcam, identifying 13